

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: Private
2. NAME OF OPERATOR: ConocoPhillips Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
3. ADDRESS OF OPERATOR: P.O. Box 51810 CITY Midland STATE TX ZIP 79710-1810		7. UNIT or CA AGREEMENT NAME: Drunkards Wash (UTU-67921X)
PHONE NUMBER: (432) 688-6943		8. WELL NAME and NUMBER: Telonis 19-151
4. LOCATION OF WELL FOOTAGES AT SURFACE: 860' FSL & 2000' FWL		9. API NUMBER: 4300730299
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 19 14S 9E		10. FIELD AND POOL, OR WILDCAT: Drunkards Wash
COUNTY: Carbon		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 12/15/2006	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Replace pump
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

12/14/06 - MIRU, RD Unit, fill and test tbq, no test. POOH w/rods, laid down pump, found pump brass barrel split by standing valve. Drop standing valve and test tbq 1000 psi, good. Fish standing valve.

12/15/06 - PU new pump 2 1/2" x 1 1/2" x 16', PU two 1 1/2 weight bars and TIH, added several guides. Fill and test tbq 1000 psi, good. RU unit, hang off rods. Changed out wellhead valves. Function test, good. Rig down.

NAME (PLEASE PRINT) Donna Williams TITLE Sr. Regulatory Analyst
SIGNATURE  DATE 2/5/07


(This space for State use only)

RECEIVED

FEB 08 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING



APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1A. Type of Work: DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. Lease Designation and Serial Number: Patented	
B. Type of Well: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER: SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. If Indian, Allottee or Tribe Name:	
2. Name of Operator: River Gas Corp.		7. Unit Agreement Name:	
3. Address and Telephone Number: 511 Energy Center Blvd., Northport, AL 35476		8. Farm or Lease Name: Telonis	
4. Location of Well (Footages) At Surface: 860' FSL & 2000' FWL At Proposed Producing Zone:		9. Well Number: 19-151	
14. Distance in miles and direction from nearest town or post office: 7.8 miles west of Price, UT		10. Field and Pool, or Wildcat: Undesignated	
15. Distance to nearest property or lease line (feet): 640'		11. Ctr/Qtr, Section, Township, Range, Meridian: SE/SW, Sec. 19, T14S, R9E	
16. Number of acres in lease: 320		12. County: Carbon	
17. Number of acres assigned to this well: 40		13. State: UTAH	
18. Distance to nearest well, drilling, completed, or applied for, on this lease (feet): 1900'		20. Rotary or cable tools: Rotary	
19. Proposed Depth: 3293'		22. Approximate date work will start: April 1996	
21. Elevations (show whether DF, RT, GR, etc.): 6443' GR			

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	24#	300'	110 sx Class G, 15.8 ppg
7 7/8"	5 1/2"	17#	3263'	50/50 Pozmix, tail RFC
	SEE EXHIBIT "B"			

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

EXHIBITS ATTACHED:

EXHIBIT "A" Location Plat
EXHIBIT "B" Drilling Program
EXHIBIT "C" BOPE Diagram
EXHIBIT "D" Surface Use Plan
EXHIBIT "E" Proposed Location/Access
EXHIBIT "F" Typical Road X-section
EXHIBIT "G" Location Layout
EXHIBIT "H" Well Site Layout
EXHIBIT "I" Evidence of Bond

24. Name & Signature: Janet Watson Agent for River Gas Corp. Title: Agent for River Gas Corp. Date: 12/11/95

(This space for State use only)


API Number Assigned: 43-007-30299

Matthews

Approval:


Petroleum Engineer

4/23/96



Basis of Bearing: North line of the NW 1/4 Section 19, T14S, R9E, bears S 89°55' E (GLO).

R9E



Powers Elevation Co., Inc. of Denver, Colorado has in accordance with a request from Charles Willis for River Gas Corporation determined the proposed location of TELONIS #19-151 to be 860' FSL & 2000' FWL, Section 19, Township 14 South, Range 9 East, Salt Lake Meridian, Carbon County, Utah.

ND hereby state that this plat is an accurate
representation of a correct survey showing the
proposed location of TELONIS #19-151.

Date: October 15, 1995

SURVEYED & DRAWN BY: ED AMMERMAN
FILE: \RGC\19-151

Licensed Land Surveyor No. 22-140833-2201
State of Utah

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1A. Type of Work: DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. Lease Designation and Serial Number: Patented	
B. Type of Well: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER: _____ SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. If Indian, Allottee or Tribe Name: _____	
2. Name of Operator: River Gas Corp.		7. Unit Agreement Name: _____	
3. Address and Telephone Number: 511 Energy Center Blvd., Northport, AL 35476		8. Farm or Lease Name: Telonis	
4. Location of Well (Footages) At Surface: 860' FSL & 2000' FWL At Proposed Producing Zone: _____		9. Well Number: 19-151	
14. Distance in miles and direction from nearest town or post office: 7.8 miles west of Price, UT		10. Field and Pool, or Wildcat: Undesignated	
15. Distance to nearest property or lease line (feet): 640'		11. Qtr/Qtr, Section, Township, Range, Meridian: SE/SW, Sec. 19, T14S, R9E	
16. Number of acres in lease: 320		12. County: Carbon	
17. Number of acres assigned to this well: 40		13. State: UTAH	
18. Distance to nearest well, drilling, completed, or applied for, on this lease (feet): 1900'		20. Rotary or cable tools: Rotary	
21. Elevations (show whether DF, RT, GR, etc.): 6443' GR		22. Approximate date work will start: April 1996	

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	24#	300'	110 sx Class G, 15.8 ppg
7 7/8"	5 1/2"	17#	3263'	50/50 Pozmix, tail RFC
	SEE EXHIBIT "B"			

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

EXHIBITS ATTACHED:

EXHIBIT "A" Location Plat
EXHIBIT "B" Drilling Program
EXHIBIT "C" BOPE Diagram
EXHIBIT "D" Surface Use Plan
EXHIBIT "E" Proposed Location/Access
EXHIBIT "F" Typical Road X-section
EXHIBIT "G" Location Layout
EXHIBIT "H" Well Site Layout
EXHIBIT "I" Evidence of Bond

24. Name & Signature: Janet Watson Title: Agent for River Gas Corp. Date: 12/11/95

(This space for State use only)


API Number Assigned: _____

Approval:

ACCEPTED



POWERS ELEVATION CO., INC.
P.O. Box 440889
Aurora, CO 80044
(303)321-2217

ALL POWERS ELEVATION CO., INC.
elevations originate from
accepted U.S. Benchmarks.



R9E

Basis of Bearing: North line of the NW 1/4 Section 19, T14S, R9E,
bears S 89°55' E (GLO).



SCALE IN FEET

Powers Elevation Co., Inc. of Denver, Colorado has in accordance with a request from Charles Willis for River Gas Corporation determined the proposed location of TELONIS #19-151 to be 860' FSL & 2000' FWL, Section 19, Township 14 South, Range 9 East, Salt Lake Meridian, Carbon County, Utah.

I hereby state that this plat is an accurate representation of a correct survey showing the proposed location of TELONIS #19-151.

Date: October 15, 1995

SURVEYED & DRAWN BY: ED AMMERMAN
FILE: \RGC\19-151

E. Nelson
Licensed Land Surveyor No. 22-140833-2201
State of Utah

STATE OF ALABAMA)
 : ss.
COUNTY OF TUSCALOOSA)

**AFFIDAVIT CONCERNING SURFACE OWNER
CONSENT REGARDING WELL SITE CONSTRUCTION**

JOSEPH L. STEPHENSON, being first duly sworn upon his oath,
deposes and states:

1. I am Vice President - Land of River Gas Corporation ("RGC"), an Alabama corporation duly authorized to transact business in the State of Utah, and am authorized to execute this Affidavit on behalf of said corporation.

2. As Vice President - Land, I am responsible for supervision of lease records and reviewing title records and legal opinions affecting lands where RGC proposes to conduct operations, and obtaining surface land use agreements associated with the development of leased mineral rights.


3. RGC proposes to drill a coalbed methane gas well named the RGC/Telonis 19-151 located in the SE1/4 of SW1/4 of Section 19, T14S, R9E, Carbon County, Utah, the MAJORITY OF THE surface and mineral of said lands being managed by **NICK SAMPINOS, Attorney-in-Fact for the owners, Evangelos G. Telonis a/k/a Evangelos George Telonis and Angelo G. Telonis, Thomas G. Telonis a/k/a Thomas George Telonis and Athanasios G. Telonis, John G. Telonis a/k/a John George Telonis, and Fotini Telonis** (said ownership being the site of the proposed well), with Carbon County, a political subdivision of the State of Utah, owning a minority of the surface and mineral in said tract (the ownership of Carbon County not to be affected by surface operations), (hereafter called "fee owners").

4. RGC and Texaco Exploration and Production Inc. are the owners of 100% of the working interests of leases obtained from the fee owners described above regarding 100% ownership of said tract.

5. As evidenced by copy of MEMORANDUM OF SURFACE LAND USE AGREEMENT dated February 15, 1996 attached hereto as Exhibit "A", and by this reference incorporated herein, the above described fee owners of the RGC/Telonis 19-150 well site agreed to certain surface use as described therein. ^{151 545}

6. The matters stated herein are true of my own knowledge, except to any matters stated herein upon information and belief, and, as to those matters, I believe them to be true.


DATED this 8th day of February, 1996.


JOSEPH L. STEPHENSON

Subscribed, sworn and acknowledged to and by Joseph L. Stephenson before me this 8th day of February, 1996.

(SEAL)

My Commission Expires: 4/9/97


NOTARY PUBLIC
Residing at:
1510 Upper Lake Drive
Cottondale, AL 35453

COPY

WHEN RECORDED RETURN TO:

William L. Kirk, Jr. - Land Department
River Gas Corporation
511 Energy Center Blvd.
Northport, AL 35476

EXHIBIT "A"

MEMORANDUM OF SURFACE LAND USE AGREEMENT

THIS MEMORANDUM OF SURFACE LAND USE AGREEMENT, dated effective the 15th day of February, 1996, is by and between Nick Sampinos, Attorney-in-Fact for Evangelos G. Telonis a/k/a Evangelos George Telonis a/k/a Angelo G. Telonis, Thomas G. Telonis a/k/a Thomas George Telonis a/k/a Athanasios G. Telonis, John G. Telonis a/k/a John George Telonis, and Fotini Telonis (collectively, "the Telonises") whose address is 80 West Main, Suite 201, Price, Utah 84501, (hereinafter referred to as "Grantor"), and **RIVER GAS CORPORATION**, an Alabama corporation authorized to conduct to business in the state of Utah, with an address of 511 Energy Center Blvd. Northport, Alabama 35476 (hereinafter referred to as "Grantee").

Grantor, in consideration of the covenants and agreements contained in that certain unrecorded Surface Land Use Agreement (the "Agreement") dated February 15, 1996, granted, and does hereby grant unto Grantee certain rights to enter upon and use certain lands (the "Lands") located in the County of Carbon, State of Utah, as described on Exhibit "A" attached hereto and made a part of this Memorandum of Surface Land Use Agreement, for the purpose of building access roads, pipelines and appurtenances thereto, power lines, and well sites for the drilling of a coalbed degasification wells on said property until such time as Grantee abandons said lands in accordance with the terms and conditions specified in said Agreement.

The Lands are subject to all of the terms and conditions of the Agreement, reference to which may be made for a complete statement of rights and obligations of Grantor and Grantee. Copies of the Agreement may be found at the above indicated addresses of the parties and are available for review during regular business hours by any party having a vested interest in the Agreement.

This Memorandum of Surface Land Use Agreement may be executed in any number of counterparts and shall be binding upon all parties executing the same or a counterpart hereof.

This Memorandum of Surface Land Use Agreement is to be placed of record to serve as notice of the execution and existence of said Agreement, and is in no way to supersede, abrogate, change or modify any of the terms, conditions, rights or obligations of any of the parties, all of which are set forth in detail in said Agreement. The terms and conditions of said Agreement are made a part hereof by reference for all purposes, to be the same effect as though written in extenso herein. All the terms, conditions and covenants of the Agreement shall be binding upon and shall inure to the benefit of the successors and assigns, respectively, of each of the parties hereto.

IN WITNESS WHEREOF, Grantor and Grantee have executed this Memorandum of Surface Land Use Agreement as of the dates of the respective acknowledgments.

Dated: 2/15/96

Grantor:

Nick Sampinos, Attorney-in-Fact for Evangelos G. Telonis a/k/a Evangelos George Telonis a/k/a Angelo G. Telonis, Thomas G. Telonis a/k/a Thomas George Telonis a/k/a Athanasios G. Telonis, John G. Telonis a/k/a John George Telonis, and Fotini Telonis (collectively, "the Telonises")


Nick Sampinos
Nick Sampinos

STATE OF UTAH

COUNTY OF CARBON

I, the undersigned authority, a Notary Public in and for said County, in said State, hereby certify that Nick Sampinos, Attorney-in-Fact for Evangelos G. Telonis a/k/a Evangelos George Telonis a/k/a Angelo G. Telonis, Thomas G. Telonis a/k/a Thomas George Telonis a/k/a Athanasios G. Telonis, John G. Telonis a/k/a John George Telonis, and Fotini Telonis (collectively, "the Telonises") to me personally known to be the identical person who executed the within and foregoing instrument and acknowledged to me that he duly executed the same as his free and voluntary act and deed for and on behalf of "the Telonises" in his capacity as Attorney-in Fact for the uses and purposes therein set forth.

Given under my hand and seal, this 15 day of February, 1996.



Nyla Noyes
Notary Public
Residing at:
Price, Utah

My Commission Expires: 11-17-99

Dated: February 21, 1996

Grantee:

RIVER GAS CORPORATION

By: Joseph L. Stephenson
Joseph L. Stephenson
Its Vice President - Land

STATE OF ALABAMA

COUNTY OF TUSCALOOSA

I, the undersigned authority, a Notary Public in and for said County in said State, hereby certify that Joseph L. Stephenson, whose name as Vice President - Land of River Gas Corporation, is signed to the foregoing instrument, and who is known to me, acknowledged before me on this day that, being informed of the contents of the instrument, he, as such officer and with full authority, executed the same voluntarily for and as the act of said corporation.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my notarial seal this the 21 day of February, 1996.

(Affix Seal)

Dana Campbell
Notary Public
Residing at:
1429 20th Ave. East
Tuscaloosa, AL 35404

My Commission Expires: 3-8-98

EXHIBIT "A"
SURFACE OWNERSHIP OF TELONISES.
Page 1 of 3

Attached to and made a part of that certain Memorandum of Surface Land Use Agreement effective the 15th day of February, 1996 by and between Nick Sampinos, Attorney-in-Fact for Evangelos G. Telonis a/k/a Evangelos George Telonis a/k/a Angelo G. Telonis, Thomas G. Telonis a/k/a Thomas George Telonis a/k/a Athanasios G. Telonis, John G. Telonis a/k/a John George Telonis, and Fotini Telonis (collectively, "the Telonises") as Grantors and River Gas Corporation as Grantee.

Carbon County, Utah

1-A. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the SW/4 of SW/4, Section 15, T14s-R9e, SLM. (RGC/Telonis 15-142).

1-B. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the SW/4, Section 16, T14s-R9e, SLM. (RGC/Telonis 16-145).

1-C. An existing well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the center of the SE/4, Section 19, T14s-R9e, SLM. (Texaco-RGC/Pinnacle Peak #2).

1-D. An existing well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the SE/4 of SE/4, Section 19, T14s-R9e, SLM. (Texaco-RGC/Arcadia-Telonis Disposal Well).

1-E. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of NW/4, Section 19, T14s-R9e, SLM. (RGC/Telonis 19-150).

1-F. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the SE/4 of SW/4, Section 19, T14s-R9e, SLM. (RGC/Telonis 19-151).

1-G. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4, Section 20, T14s-R9e, SLM. (RGC/Telonis 20-152).

1-H. An existing well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of SE/4, Section 20, T14s-R9e, SLM. (Texaco-RGC/E. G. Telonis #1).

1-I. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of NE/4, Section 21, T14s-R9e, SLM. (RGC/Telonis 21-90).

1-J. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of NW/4, Section 21, T14s-R9e, SLM. (RGC/Telonis 21-153).

1-K. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of NW/4 Section 29, T14s-R9e, SLM. (RGC/Telonis 29-154).

1-L. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NW/4 of SW/4, Section 29, T14s-R9e, SLM. (RGC/Telonis 29-155).

Exhibit "A"
Page 2 of 3

1-M. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of NE/4, Section 30, T14s-R9e, SLM. (RGC/Telonis 30-156).

1-N. A well location approximately two hundred foot (200') by two hundred fifty foot (250') (1.15 acres) in the NE/4 of SE/4, Section 30, T14s-R9e, SLM. (RGC/Telonis 30-157).

1-O. A road/pipeline/powerline right-of-way forty foot (40') wide by one thousand foot (1000') long (61 rods) (0.92 acre), more or less, in the SW/4 of SW/4, Section 15, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 14-142 Well (Well location 1-A).

1-P. A road/pipeline/powerline right-of-way forty foot (40') wide by nine thousand two hundred forty foot (9,240) long (560 rods) (8.50 acres), more or less, running through the southern portion of the SW/4 of SW/4 Section 15, T14s-R9e, SLM (appx 1320'), also running along the north section line of the entirety of Section 21, T14s-R9e, SLM (appx 5,280') and running along the north section line of the NE/4 of Section 20-T14s-R9e, SLM (appx 2,640') which is needed for access to various wells in the Porphyry Bench area.

1-Q. A road/pipeline/powerline right-of-way forty foot (40') wide by two thousand nine hundred seventy five foot (2,975') long (181 rods) (2.73 acres), more or less, running through the W/2 of SW/4 Section 16, T14s-R9e, SLM, which is needed for access to various wells in the Porphyry Bench area.

1-R. A road/pipeline/powerline right-of-way forty foot (40') wide by one thousand foot (1,000') long (61 rods) (.92 acres) more or less, located in the W/2 of SW/4 Section 16, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 16-145 Well (Well location 1-B).

1-S. A road/pipeline/powerline right-of-way forty foot (40') wide by one thousand three hundred twenty foot (1,320') long (80 rods) (1.21 acres) more or less, located in the N/2 of NE/4 Section 21, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 21-90 Well (Well location 1-I).

1-T. A road/pipeline/powerline right-of-way forty foot (40') wide by one thousand foot (1,000') long (61 rods) (.92 acres) more or less, located in the N/2 of NW/4 Section 21, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 21-153 Well (Well location 1-J).

1-U. A road/pipeline/powerline right-of-way forty foot (40') wide by one thousand three hundred twenty foot (1,320') long (80 rods) (1.21 acres) more or less, located in the W/2 of NE/4 Section 20, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 20-152 Well (Well location 1-G).

1-V. A pipeline/powerline only right-of-way thirty foot (30') wide by three thousand six hundred thirty feet (3,630') long (220 rods) (2.50 acres) more or less, running along the eastern most portion of Section 20, T14s-R9e, SLM, which is needed for infrastructure connection to the Texaco-RGC/E. G. Telonis #1 Well (Well location 1-H).

1-W. A pipeline/powerline only right-of-way thirty foot (30') wide by four thousand three hundred foot (4,300') long (261 rods) (2.96 acres) more or less, running through the SE/4 of Section 20, T14s-R9e, SLM and running through the N/2 of NW/4 of Section 29, T14s-R9e, SLM, which is needed for infrastructure connection for the Texaco-RGC/E. G. Telonis #1 Well (Well location 1-H) and the RGC/Telonis 29-154 Well (Well location 1-K).

Exhibit "A"
Page 3 of 3

1-X. A pipeline/powerline only right-of-way thirty foot (30') wide by four thousand three hundred foot (4,300') long (261 rods) (2.96 acres) more or less, running along an existing county road through the E/2 of NE/4 and the N/2 of SE/4 Section 30, T14s-R9e, SLM, which is needed for infrastructure connection for various wells in the Porphyry Bench area.

1-Y. A road/pipeline/powerline right-of-way forty foot (40') wide by two thousand six hundred forty foot (2,640') long (160 rods) (2.43 acres) more or less, running along the eastern most portion of the SE/4 Section 19, T14s-R9e, SLM, which is needed for infrastructure connection for various wells in the Porphyry Bench area.

1-Z. A road/pipeline/powerline right-of-way forty foot (40') wide by two thousand six hundred forty foot (2,640') long (160 rods) (2.43 acres) more or less, running through the NE/4 of SE/4 Section 30, T14s-R9e, SLM and through the NW/4 of SW/4 Section 29, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 30-157 Well (Well location 1-N) and the RGC/Telonis 29-155 Well (Well location 1-L).

1-AA. A road/pipeline/powerline right-of-way forty foot (40') wide by two thousand six hundred forty foot (2,640') long (160 rods) (2.43 acres) more or less, running through the NE/4 of NE/4 Section 30, T14s-R9e, SLM and through the N/2 of NW/4 Section 29, T14s-R9e, SLM which is needed for access to the RGC/Telonis 30-156 Well (Well location 1-M) and the RGC/Telonis 29-154 Well (Well location 1-K).


1-BB. A road/pipeline/powerline right-of-way forty foot (40') wide by three thousand five hundred foot (3,500') long (212 rods) (3.22 acres) more or less, running through the SE/4 of SW/4 and the S/2 of SE/4 Section 19, T14s-R9e, SLM, which is needed for access to the RGC/Telonis 19-151 Well (Well location 1-F) and the Texaco-RGC/Pinnacle Peak #2 Well (Well location 1-C).

1-CC. A road/pipeline/powerline right-of-way forty foot (40') wide by six hundred sixty foot (660') long (40 rods) (.60 acres) more or less, located in the SE/4 of SE/4 Section 19, T14s-R9e, SLM, which is needed for access to the Texaco-RGC/Arcadia-Telonis Disposal Well (Well location 1-D).


1-DD. A road/pipeline/powerline right-of way forty foot (40') wide by five hundred foot (500') long (31 rods) (.46 acres) more or less, located in the NE/4 of NW/4 Section 19, T14s-R9e, SLM which is needed for access to the RGC/Telonis 19-150 Well (Well location 1-E).

1-EE. A road/pipeline/powerline right of way forty foot (40') wide by two hundred seventy five foot (275') long (16.67 rods) (.25 acres) more or less, located in the NE/4 of NE/4 Section 30, T14s-R9e, SLM, which is needed for access to the RRC/Telonis 30-156 Well (Well location 1-M).

Signed for Identification


Nick Sampinos

Signed for Identification


Joseph L. Stephenson

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

DEC 14 1995

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1A. Type of Work: DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. Lease Designation and Serial Number: Patented
B. Type of Well: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER: SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. Indian Allottee or Tribe Name:
2. Name of Operator: River Gas Corp.		7. Unit Agreement Name:
3. Address and Telephone Number: 511 Energy Center Blvd., Northport, AL 35476		8. Farm or Lease Name: Telonis
4. Location of Well (Footages) At Surface: 860' FSL & 2000' FWL At Proposed Producing Zone:		9. Well Number: 19-151
14. Distance in miles and direction from nearest town or post office: 7.8 miles west of Price, UT		10. Field and Pool, or Wildcat: Undesignated
15. Distance to nearest property or lease line (feet): 640'	16. Number of acres in lease: 320	11. Qtr/Qtr, Section, Township, Range, Meridian: SE/SW, Sec. 19, T14S, R9E
18. Distance to nearest well, drilling, completed, or applied for, on this lease (feet): 1900'	19. Proposed Depth: 3293'	12. County: Carbon
21. Elevations (show whether DF, RT, GR, etc.): 6443' GR		13. State: UTAH
20. Rotary or cable tools: Rotary		22. Approximate date work will start: April 1996

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8 5/8"	24#	300'	110 sx Class G, 15.8 ppg
7 7/8"	5 1/2"	17#	3263'	50/50 Pozmix, tail RFC
	SEE EXHIBIT	"B"		

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

EXHIBITS ATTACHED:

EXHIBIT "A" Location Plat
EXHIBIT "B" Drilling Program
EXHIBIT "C" BOPE Diagram
EXHIBIT "D" Surface Use Plan
EXHIBIT "E" Proposed Location/Access
EXHIBIT "F" Typical Road X-section
EXHIBIT "G" Location Layout
EXHIBIT "H" Well Site Layout
EXHIBIT "I" Evidence of Bond

24. Name & Signature: Janet Watson Agent for River Gas Corp. Date: 12/11/95

(This space for State use only)

API Number Assigned: 43-007-30299

Approval:


J. Matthews Petroleum Engineer

4/23/96

FORM PS 102B

POWERS ELEVATION CO., INC.
P.O. Box 440889
Aurora, CO 80044
(303)321-2217

ALL POWERS ELEVATION CO., INC.
elevations originate from
accepted U.S. Benchmarks.



R9E

Basis of Bearing: North line of the NW 1/4 Section 19, T14S, R9E, bears S 89°55' E (GLO).

<RECORD>

NORTH

S 89°55' E

2437.7'

S 89°58' E

2641.6'

Found BLM Brass Cap

Found BLM Brass Cap

NOTES:

LOCATION FALLS IN SCATTERED TREES.
THERE ARE NO IMPROVEMENTS WITHIN
200' OF LOCATION.
ELEVATION ESTABLISHED FROM NGVD
1929 DATUM.
GROUND ELEVATION = 6443'

2631.2'

N 0°14' W

2643.7'

N 0°22' W

T
14
S

N

1

2000'

860

Found BLM Brass Cap

WEST

2674.6'



SCALE IN FEET

Powers Elevation Co., Inc. of Denver, Colorado has in accordance with a request from Charles Willis for River Gas Corporation determined the proposed location of TELONIS #19-151 to be 860' FSL & 2000' FWL, Section 19, Township 14 South, Range 9 East, Salt Lake Meridian, Carbon County, Utah.

I hereby state that this plat is an accurate representation of a correct survey showing the proposed location of TELONIS #19-151.

Date: October 15, 1995

SURVEYED & DRAWN BY: ED AMMERMAN
FILE: \RGC\19-151

Licensed Land Surveyor No. 22-140833-2201
State of Utah



RIVER GAS CORPORATION

511 Energy Center Blvd.


Northport, Alabama 35476

Phone (205) 759-3282

Fax (205) 759-3188 (Accounting)

Fax (205) 758-5309 (Corporate)

December 8, 1995



Mr. Michael Hebertson
Utah Board of Oil, Gas, and Mining
Suite 350, 3 Triad Center
355 West North Temple
Salt Lake City, Utah 84180-1203

RE: Application for Permit to Drill -
Telonis 19-151, SE 1/4 of SW 1/4 of Sec. 19, T14S, R9E
S.L.B. & M., Carbon County, Utah

Dear Mr. Hebertson:

Enclosed is an original and one copy of an "Application for Permit to Drill" for the well named above. Attached to the APD is the following information, as prepared by Powers Elevation Co., Inc:

- Exhibit "A": - Copy of survey plat of proposed well site
- Exhibit "B": - Drilling Program
- Exhibit "C": - B.O.P. Diagram
- Exhibit "D": - Surface Use Plan
- Exhibit "E": - Proposed Location/Access
- Exhibit "F": - Typical Road X-Section
- Exhibit "G": - Location Layout
- Exhibit "H": - Well Site Layout
- Exhibit "I": - Evidence of Bond

A surface land use agreement will be negotiated at a later date, and will be submitted to you.

Proposed gas, water, and utility line routes from the wellsite are shown in Exhibit "E", and are subject to change at land owner representative's request.

Also, please accept this letter as our request that all information regarding this permit be kept confidential, if said information is eligible for such consideration. This request is made in accordance with State of Utah Oil and Gas rule # R649-2-11.

Thank you for your assistance. Please feel free to contact me if you have questions.

Sincerely,



Terry D. Burns

Geologist

cc: Mr. Edward W. Bonner, Utah Department of Natural Resources
Mr. Eric Jones, BLM in Moab, Utah
Mr. Dean Nyffler, BLM in Price, Utah
Mr. Robert A. Hendricks, BLM in Salt Lake City, Utah
Mr. J.R. French, Texaco
Mr. R.A. Lamarre, Texaco
Mr. Gee Lake, Jr., Dominion Reserves

EXHIBIT "B"DRILLING PROGRAM

Attached to Form 3
 River Gas Corp.
 #19-151 Telonis
 SE/4 SW/4 Sec. 19, T14S, R9E
 860' FSL & 2000' FWL
 Carbon County, Utah

1. The Geologic Surface Formation

Upper Mancos Shale

2. Estimated Tops of Important Geologic Markers.

Blue Gate/Ferron	2890'
Ferron/Tununk	3163'

3. Projected Gas & H2O zones (Ferron Formation)

Coals and sandstones - 2873' to 3043'

No groundwater is expected to be encountered.

Casing & cementing will be done to protect potentially productive hydrocarbons, lost circulation zones, abnormal pressure zones, and prospectively valuable minerals deposits. All indications of usable water will be reported.

Surface casing will be tested to 2000 psi.

4. The Proposed Casing and Cementing Programs

<u>HOLE SIZE</u>	<u>SETTING DEPTH (INTERVAL)</u>	<u>SECTION LENGTH</u>	<u>SIZE (OD)</u>	<u>WEIGHT, GRADE & JOINT</u>	<u>NEW, USED</u>
11	300'	300'	8 5/8	24#	new
7 7/8	3263'	3263	5 1/2	17#	new

Cement Program

Surface Casing: 110 sx Class G, 15.8 ppg cement

Production Casing: 50/50 Pozmix and tail in with RFC. The 50/50 Pozmix accounts for 75% total cement, RFC 25%.

Total sx cement 366.
Cement volumes will vary depending on
formations encountered and hole conditions.

The following shall be entered in the driller's log:

- (1) Blowout preventer pressure tests, including test pressures and results;
- (2) Blowout preventer tests for proper functioning;
- (3) Blowout prevention drills conducted;
- (4) Casing run, including size, grade, weight, and depth set;
- (5) How the pipe was cemented, including amount of cement, type, whether cement circulated, location of the cementing tools, etc.;
- (6) Waiting on cement time for each casing string;
- (7) Casing pressure tests after cementing, including test pressures and results.

5. The Operator's Minimum Specifications for Pressure Control

EXHIBIT "C" is a schematic diagram of the blowout preventer equipment. A double gate 3000 psi BOPE will be used with a rotating head. This equipment will be tested to 2000 psi. All tests will be recorded in a Driller's Report Book. Physical operation of BOP's will be checked on each trip.

6. The Type and Characteristics of the Proposed Circulating Muds

0-300	11" hole	Drill with air, will mud-up if necessary
300-3293	7 7/8" hole	Drill with air. 400 psi @ 1500-1800 Scf.

7. The Testing, Logging and Coring Programs to be Followed

0-300	Gamma Ray			
300-TD	Gamma Ray,	Density,	Neutron Porosity,	
	Induction,	Caliper		

Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well. Bottom hole pressure expected is 1581 psi maximum.

No hydrogen sulfide or other hazardous gases or fluids have been found, reported or are known to exist at these depths in the area.

8. Anticipated Starting Date and Duration of the Operations.

The well will be drilled in April 1996.

Verbal and/or written notifications listed below shall be submitted in accordance with instructions from the Division of Oil, Gas & Mining:

- (a) prior to beginning construction;
- (b) prior to spudding;
- (c) prior to running any casing or BOP tests;
- (d) prior to plugging the well, for verbal plugging instructions.

Spills, blowouts, fires, leaks, accidents or other unusual occurrences shall be reported to the Division of Oil, Gas & Mining immediately.




EXHIBIT "D"MULTIPOINT SURFACE USE PLAN

Attached to Form 3
River Gas Corp.
#19-151 Telonis
SE/4 SW/4, Sec. 19, T14S, R9E
860' FSL & 2000' FWL
Carbon County, Utah

1. EXISTING ROADS

- A. See Exhibit "E". We do not plan to change, alter or improve upon any existing state or county roads. Existing roads will be maintained in same or better condition.
- B. From intersection of Hwy. 6 and Westwood Blvd. in Price proceed northwest on Westwood Blvd 1.3 mile to Gordon Creek Rd (asphalt County road), turn left on Gordon Creek Road 0.45 mile to gravel County road on left. Travel westerly on County road 6.0 miles to dirt road on left, then southerly on dirt road 0.05 mile, then westerly 0.7 mile new construction to location.

2. PLANNED ACCESS

See Exhibit "E". 0.7 mile of new access is required.

- A. Maximum Width: 14' travel surface with 27' base
- B. Maximum grade: 5%
- C. Turnouts: One
- D. Drainage design: Natural drainage will be retained. Water will be diverted around well pad as necessary.
- E. Cuts and fills: None
- F. Surfacing materials: 4" sand and gravel if necessary.
- G. Gates, cattle guards, fence cuts: None

If well is productive, road will be surfaced and maintained as necessary to prevent soil erosion and accommodate year-round traffic.

3. LOCATION OF EXISTING WELLS

- A. See Exhibit "E". There is one producing well within one mile of the proposed location.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

- A. If the well is a producer, installation of production facilities will be as shown on EXHIBIT "H". Buried powerlines run along the roads to the east or north, gathering lines to the south or west.
- B. Rehabilitation of all pad areas not used for production facilities will be made in accordance with landowner stipulations.

5. LOCATION AND TYPE OF WATER SUPPLY

- A. Water to be used for drilling will be purchased from the Price River Water Improvement District (tel. 801-637-6350). This has been arranged by Mr. Michael J. Farrens, Vice President of River Gas Corp. - Utah Operations. He has been in contact with Mr. Phillip Palmer. Mr. Farrens has discussed this arrangement with Mark Page of the Division of Water Rights (tel. 801-637-1303) over the telephone. The Division of Water Rights is to furnish the Oil & Gas Division with a letter of approval concerning this matter.
- B. Water will be transported by truck over approved access roads.
- C. No water well is to be drilled for this location.

6. SOURCE OF CONSTRUCTION MATERIALS

- A. Any construction materials needed will be obtained locally and hauled to the location on existing roads.
- B. No construction or surfacing materials will be taken from Federal/Indian land.

7. METHODS FOR HANDLING WASTE DISPOSAL

- A. As the well will be air drilled, a small reserve pit will be constructed with a minimum of one-half the total depth below the original ground surface on the lowest point within the pit. The pit will not be lined unless conditions encountered during construction warrant it. Three sides of the reserve pit will be fenced within 24 hours after completion of construction and the fourth side within 24 hours after drilling operations cease with

four strands of barbed wire, or woven wire topped with barbed wire to a height of not less than four feet. The fence will be kept in good repair while the pit is drying.

- B. Following drilling, the liquid waste will be evaporated from the pit and the pit backfilled and returned to natural grade.

No liquid hydrocarbons will be discharged to the reserve pit or location.

- C. In the event fluids are produced, any oil will be retained in tankage until sold and any water produced will be retained until its quality can be determined. The quality and quantity of the water will determine the method of disposal.
- D. Trash will be contained in a portable metal container and will be hauled from location periodically and disposed of at an approved disposal site. Chemical toilets will be placed on location and sewage will be disposed of at an appropriate disposal site.

8. ANCILLARY FACILITIES

- A. We anticipate no need for ancillary facilities with the exception of three trailers to be located on the drill site.

9. WELLSITE LAYOUT

- A. Available topsoil will be removed from the location and stockpiled. If ground frost prevents the segregation and removal of the topsoil material from the less desirable subsoil material, cross-ripping to the depth of the topsoil material may be necessary. Location of mud tanks, reserve and burn pits, and soil stockpiles will be located as shown on the attachments.
- B. A blooie pit will be located 150' diagonally from the drill hole. A line will be placed on the surface from the center hole to the burn pit. Burn pit will not be lined, but will be fenced on four sides to protect livestock/wildlife.
- C. Access to the well pad will be as shown on Exhibit "G".
- D. Natural runoff will be diverted around the well pad.

10. PLANS FOR RESTORATION OF SURFACE

- A. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum.
- B. Available topsoil will be stockpiled and will be evenly distributed over the disturbed areas and the area will be reseeded as prescribed by the landowner.
- C. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- D. Any oil accumulation on the pit will be removed or overhead flagged as dictated by then existing conditions.
- E. Date of commencement will be April, 1996. Rehabilitation will commence following completion of the well. Rat and mouse holes will be filled immediately upon release of the drilling rig from the location. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as is possible.

11. SURFACE OWNERSHIP

- A. The wellsite and access road will be constructed on lands owned by the Telonis family represented by Nick Sampinos, attorney, 80 West main, Ste. 201, Price, UT 84501. The operator shall contact the landowner and the Division of Oil, Gas & Mining 48 hours prior to beginning construction activities.

12. OTHER INFORMATION

The surface is vacant natural ground . The nearest dwelling is ± 7 miles east of the location. Nearest live water is ± 7.5 miles east (Price River).

If there is snow on the ground when construction begins, it will be removed before the soil is disturbed, and piled downhill from the topsoil stockpile location.

The backslope will be constructed no steeper than 4:1, the foreslope no steeper than 4:1.

All equipment and vehicles will be confined to the access road and well pad.

A complete copy of the approved Application for Permit to Drill (APD) including conditions and stipulations, shall be on

the wellsite during construction and drilling operations.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the Division of Oil, Gas & Mining.

13. COMPANY REPRESENTATIVE

THROUGH A.P.D. APPROVAL

Janet Watson
Agent/Consultant for
River Gas Corp.
P. O. Box 440889
Aurora, Co. 80044
(303) 321-2217

MAIL APPROVED A.P.D. TO

Terry Burns
River Gas Corp.
511 Energy Cntr. Blvd.
Northport, AL 35476
(205) 759-3282

FIELD REPRESENTATIVE

Steve Prince
(801) 637-8876
M-(801) 636-5256

DIRT CONTRACTOR

NELCO
Larry Jensen
(801) 637-3495
M-(801) 636-5268


14. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct, and that the work associated with the operations proposed herein will be performed by River Gas Corp. and its subcontractors in conformity with this plan and the terms and conditions under which it is approved.


12/11/95
Date

Janet Watson
Janet Watson
Agent for River Gas Corp.

EXHIBIT "E"
#19-151 Telonis
Proposed Location/Access
Pinnacle Peak 7.5' USGS quad



RIVER GAS CORPORATION



TYPICAL ROAD CROSS-SECTION

NOT TO SCALE

3/23/95



RIVER GAS CORPORATION

UTAH OPERATIONS
1305 South 100 East
Price, Utah 84501
Bus. (801) 637-8876
FAX (801) 637-8924

March 22, 1996

CERTIFIED MAIL
RETURN RECEIPT _____

Nick Sampinos, Esquire
Attorney in Fact for Telonis Family
First Interstate Bank Building
80 West Main, Suite 201
Price, UT 84501

43-007-30299

RE: Proposed RGC/Telonis 19-151 Coalbed Methane Gas Well
SE/SW, Section 19, T14S, R9E, SLM, Carbon County, Utah

Dear Mr. Sampinos:

River Gas Corporation ("RGC") has filed an Application for Permit to Drill ("APD") with the Division of Oil, Gas, and Mining ("DOGM"). An on-site inspection for this proposed well has been scheduled with the staff of the DOGM for April 9, 1996 beginning at 10:00 AM. Several on-sites are scheduled for this date. We will begin the on-sites at the location of the E.G. Telonis #1 well.

We provided the DOGM with a copy of the Memorandum of Surface Land Use Agreement that pertains to the development of this proposed well. DOGM required that prior to scheduling the on-site. Their regulations require that an operator provide them with evidence of surface owner consent for construction of a well site and its facilities. Also, as part of DOGM's permitting regulations, the surface owner has to be notified of any on-site inspection. This gives the surface owner the opportunity to attend the on-site or submit written comments to the DOGM during the APD review process. By attending, the surface owner can confirm that the manner in which operations are proposed is in compliance with the land use agreement for the site.

After being provided with notice of the on-site, you are not required to be present in order for the on-site to be done. If you do not attend the on-site, it will be assumed that you did not want to participate. If you have any questions on this scheduled on-site, please call me at our office in Price at (801)637-8876. You may also call the DOGM in Salt Lake City, Utah at (801)538-5340.

Sincerely,

A handwritten signature in cursive script that reads "Steven L. Prince".


Steven L. Prince
Regulatory Manager

cc: Mike Hebertson, DOGM
Joey Stephenson, RGC



RIVER GAS CORPORATION

UTAH OPERATIONS
1305 South 100 East
Price, Utah 84501
Bus. (801) 637-8876
FAX (801) 637-8924



April 18, 1996

Mike Hebertson
Division of Oil Gas & Mining
State of Utah
3 Triad Center, Suite 350
Salt Lake City, UT 84108

Dear Mike:

*Sec 19, T14S, R9E.
43-007-30299*

Attached are corrected copies of the site layout plats which were not included in the APD's for the three wells we looked at last week: Telonis 19-150, Telonis 19-151, and Telonis 30-156. Please attach these to the respective APD's.

Thank you for the time you and Jim took to come to Price to examine our well sites. Please let us know when you will be sending someone down to do additional pre-site inspections. Also, please contact me if you have any questions concerning the attached plats.

Sincerely,



A handwritten signature in cursive script that reads "Steven L. Prince".

Steven L. Prince
Utah Regulatory Manager

cc: Billy Stacy
File

Attachments

RIVER GAS CORPORATION
TELONIS #19-151 LOCATION
PIT & PAD LAYOUT



**Powers Elevation
Co., Inc.**

OIL FIELD ENGINEERS & SURVEYORS
13900 E. HARVARD AVE., SUITE 115
AURORA, CO. 80014
(303) 321-2217 FAX (303) 321-2218

Scale : 1"=40' Date : 10-21-95

Surveyed & Drawn by: AMMERMAN

Checked : AMMERMAN

Dwg. File : \DWGR12\RGC\19-151P

FG = FINISHED GRADE

CLIENT:

RIVER GAS CORPORATION
290 South Highway 55, Box 638
Price, Utah 84501-0638
(801) 637-8876/(801) 637-6835

PIT & PAD LAYOUT
TELONIS #19-151 WELL LOCATION
SW 1/4 SECTION 19
T 14 S, R 9 E
SALT LAKE MERIDIAN
CARBON COUNTY, UTAH

SHEET
2
OF
2



State of Utah
Division of Oil, Gas & Mining (OGM)

**ON-SITE PREDRILL EVALUATION AND REVIEW
FOR
APPLICATION FOR PERMIT TO DRILL (APD)**

OPERATOR:

River Gas Corporation

WELL NO:

Telonis 19-151

LEASE NO:

Fee

API No:

43-007-30299

LEASE TYPE:

State ☐

Fee ☒

PROPOSED LOCATION

$\frac{1}{4}/\frac{1}{4}$:

SE SW

SECTION:

19

TOWNSHIP:

14 S

RANGE:

9 E

COUNTY:

Carbon

FIELD:

Undesignated (002)

SURFACE:

860 FSL 2000 FWL

BOTTOM HOLE:

Same as the surface location

GPS COORDINATES:

504338 E 4381405 N

SURFACE OWNER:

Private (Telonis) surface use agreement is in place.

SURFACE AGREEMENT:

Yes ☒

No ☐

CONFIDENTIAL:

Yes ☒

No ☐

LOCATING AND SITING:

☐

UAC R649-2-3.

Unit

☒

UAC R649-3-2. General

☐

UAC R649-3-3. Exception

☐

UCA 40-6-6. Drilling Unit

--

Cause No.

DRILLING PROGRAM:

The following information is included in the Application for Permit to Drill submitted.

1. Surface Formation and Estimated Tops/Geologic Markers
2. Estimated Depths and Names of Anticipated Water, Oil, Gas or other Mineral Bearing Formations

(All fresh water sands encountered during drilling shall be recorded and reported to the Division on Form 7.)
3. Well Control Equipment & Testing Procedures
4. Proposed Casing and Cementing Program
5. Mud Program, Circulating Medium, and Monitoring equipment
6. Coring, Testing, and Logging Program
7. Expected Bottom Hole Pressures and any anticipated Abnormal Pressures, Temperatures or Potential Hazards such as hydrogen sulfide, expectations and contingency plans for mitigating identified hazards
8. Any other information relative to the proposed operation.

Onsite Participants:

Larry ~~Nator~~ ~~Nator~~ Construction, Steve Prince River Gas, Bill Bates Division of Wildlife, Jimmie Thompson & Mike Hebertson DOGM.

Regional Setting/Topography:.

NELCO
Nelson

This area is dominated by high tree covered mesas, vertical sandstone cliffs, steep talus slopes and broad rolling valleys which are incised by washes and drainages. The major geologic formations involved are the Castlegate Sandstone, and the Mancos Shale. On the west the Wasatch mountains rise to above 9,000' and on the southeast the north flank of the San Rafael Swell dominates the landscape.

SURFACE USE PLAN:

Current Surface Use:.. This area is currently used as grazing lands for livestock and wildlife on a very limited basis.

Proposed Surface Disturbance:.. The location and the access road will not exceed a total disturbed area of 2 acres.

1. Existing Roads. The major roads to this site are Carbon County Roads and the established Pinnacle Peak Canyon access.
2. Planned Access Roads - include length of new road, length of existing road to be upgraded, maximum disturbed and travel surface widths, maximum grades, turnouts, surface materials, drainage, cattleguards. A half mile of new access will be constructed for this well and proper drainage will be installed. The road is staked to follow the contour of the land as nearly as is possible.
3. Location of existing wells within one-mile radius of proposed location, include water, injection, producing, drilling with present status of each well See the map attached to the APD showing this information.
4. Location of Production Facilities and Pipelines See the map attached to the APD showing this information.
5. Location and Type of Water Supply (include Division of Water Rights approval or identifying number). Water will be purchased from the City of Price.
6. Source of Construction Material. Borrowed from the location at the time of construction.
7. Waste Management Plan. The waste management plan filed with the APD is sufficient for this location.

8. Ancillary Facilities. None are required.
9. Well Site Layout. See the plat included as part of the APD.
10. Surface Restoration Plans. The surface will be restored according to the accepted practices at the time of abandonment, and will be as near to original grade as possible.

ENVIRONMENTAL PARAMETERS:

Affected Floodplain and/or Wetlands:

A 404 dredge and fill permit may be required if this site is in or adjacent to a wetland or other established drainage or floodplain. (Contact the Army Corps of Engineers if there are concerns of this nature). See the attached letter from the State Engineer. None is required.

Flora/Fauna:

Briefly describe the flora found on the proposed site and the fauna evidenced or sighted on or near the proposed location. Pinion/juniper, shadscale, cheat grass sage & rabbit brush, greasewood, Deer, Elk, coyote, raptors.

SURFACE GEOLOGY

Soil Type and Characteristics: Sandy clay, light tan to buff in color fine grained.

Surface Formation & Characteristics: Mancos shale, weathers to a light tan to buff colored soil with high clay content, sand is intermixed from the overlying Castlegate sand.

Erosion/Sedimentation/Stability: None

Paleontological Potential Observed: None

RESERVE PIT

Characteristics: 50' X 50' X 6'

Lining (Site ranking form attached): None will be required.

OTHER OBSERVATIONS

Cultural Resources/Archaeology (if proposed location is on State land, has an archaeology clearance been obtained?): None

Comments: Mr. Bates, of the Division of Wildlife requested that a gate with on key be placed at the mouth of the canyon leading to this location. It was pointed out that the location and road were on private surface. He also requested that the greasewood on the location be cut out by the roots in order that it would not come back. The access road will be rerouted to conform more to the terrain and to keep from destroying valueable wildlife range. There were no other problems with this location.

Jimmie Thompson & Mike Hebertson
OGM Representative

9-Apr-96 2:00 PM
Date and Time

STATEMENTS OF BASIS
OGM Review of Application for Permit to Drill (APD)

Company: River Gas Corporation Well Name: Telonis 19-151
ENGINEERING/LOCATING and SITING:

The proposed location meets the location and siting requirements of R649-3-2. The application and proposed casing and drilling plan appear to be consistent with accepted industry standards of practice and sound engineering design. A casing design safety check is attached. Blow out prevention and monitoring/contingency plans are adequate.

Signature: F. R. Matthews Date: 4/23/96

GEOLOGY/GROUND WATER:

Ground water in the vicinity of the proposed well is probably non-existent. The proposed casing and cement program will adequately protect any water encountered.

Signature: D. Jarvis Date: 04/23/96

SURFACE:

The location was inspected according to Division policy. No major problems exist and the location will meet the surface use plan submitted with the APD. The access will be rerouted to conform more to the natural terrain.

Signature: K. Michael Hebertson Date: 10-Apr-1996

STIPULATIONS for APD Approval:

1. The location will be bermed and drained to the Southeast
2. No construction will be allowed during any year from Dec. 1 thru Apr. 15.
3. The access road will be ^{Rerouted} rerouted to conform with the terrain.
- 4.

ATTACHMENTS:

1. Pictures were taken and placed on file.

Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements

Site-Specific Factors	Ranking Score	Final Ranking Score
Distance to Groundwater (feet) >200 100 to 200 75 to 100 25 to 75 <25 or recharge area	0 5 10 15 20	0
Distance to Surf. Water (feet) >1000 300 to 1000 200 to 300 100 to 200 < 100	0 2 10 15 20	0
Distance to Nearest Municipal Well (feet) >5280 1320 to 5280 500 to 1320 <500	0 5 10 20	0
Distance to Other Wells (feet) >1320 300 to 1320 <300	0 10 20	0
Native Soil Type Low permeability Mod. permeability High permeability	0 10 20	10

Fluid Type		0
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or	15	
Oil Base Mud		
Fluid containing significant levels of hazardous constituents	20	
Drill Cuttings		0
Normal Rock	0	
Salt or detrimental	10	
Annual Precipitation (inches)		0
<10		
10 to 20	0	
>20	5	
	10	
Affected Populations		0
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	
Presence of Nearby Utility Conduits		0
Not Present	0	
Unknown	10	
Present	15	

Final Score	10
-------------	----

The summation of all of the above ranking scores will yield one value which shall be used to determine the appropriate type of containment, on a case-by-case basis. The sensitivity levels are as follows:

- Level I Sensitivity: For scores totaling ≥ 20
- Level II Sensitivity: For scores totaling 15 to 19
- Level III Sensitivity: For scores totaling < 15


Containment Requirements According to Sensitivity Level

- Level I: Requires total containment by synthetic liner, concrete structure or other type of total containment structure or material.
- Level II: Bentonite or other compatible lining is discretionary depending on the fluid to be contained and environmental sensitivity.
- Level III: No specific lining requirements.

OTHER GUIDELINES FOR PITS

1. Unlined pits shall not be constructed on areas of fill materials.
2. A pit shall not be constructed in a drainages or floodplain of flowing or intermittent streams.
3. Synthetic liners used for lining reserve pits, shall be of 12 mil thickness or greater and shall be compatible with the fluid to be contained. Synthetic liners used for lining onsite pits with a longer expected life shall be a minimum of 30 mil thickness or as approved by the Division.
4. Synthetic liners shall be installed over smooth fill material which is free of pockets, loose rocks or other materials which could damage the liner.
5. Monitoring systems for pits or closed mud systems may be required for drilling in sensitive areas.

RIVER GAS CORPORATION DEVELOPMENT & EXTENSION DRILLING CARBON COUNTY UAC R649-2-3. R649-3-3, & R649-3-2



PREPARED:
DATE: 20-FEB-96

STATE OF UTAH, DIV OF OIL, GAS & MINERALS

Operator: RIVER GAS CORPORATION | Well Name: TELONIS 19-151

Project ID: 43-007-30299 | Location: SEC. 19 - T14S - R09E

Design Parameters:

Mud weight (9.23 ppg) : 0.479 psi/ft
 Shut in surface pressure : 2640 psi
 Internal gradient (burst) : 0.068 psi/ft
 Annular gradient (burst) : 0.000 psi/ft
 Tensile load is determined using air weight
 Service rating is "Sweet"

Design Factors:

Collapse : 1.125
 Burst : 1.00
 8 Round : 1.80 (J)
 Buttress : 1.60 (J)
 Other : 1.50 (J)
 Body Yield : 1.50 (B)

Length (feet)		Size (in.)	Weight (lb/ft)	Grade	Joint	Depth (feet)	Drift (in.)	Cost	
1	3,293	5.500	17.00	K-55	ST&C	3,293	4.767		
	Collapse Load Strgth S.F. (psi) (psi)			Burst Load (psi)	Min Int Yield Strgth (psi)		Tension Load Strgth S.F. (kips) (kips)		
1	1579	4910	3.110	2865	5320	1.86	55.98	252	4.50 J

Prepared by : MATTHEWS, Salt Lake City, Utah

Date : 04-23-1996

Remarks :

Minimum segment length for the 3,293 foot well is 1,500 feet.

SICP is based on the ideal gas law, a gas gravity of 0.69, and a mean gas temperature of 97°F (Surface 74°F , BHT 120°F & temp. gradient 1.400°/100 ft.)

String type: Production - Frac

The frac gradient of 0.870 psi/ft results in an injection pressure of 2,865 psi.

The mud gradient and bottom hole pressures (for burst) are 0.479 psi/ft and 2,865 psi, respectively.

NOTE: The design factors used in this casing string design are as shown above. As a general guideline, Lone Star Steel recommends using minimum design factors of 1.125 - collapse (with evacuated casing), 1.0 - (uniaxial) burst, 1.8 - API 8rd tension, 1.6 - buttress tension, 1.5 - body yield tension, and 1.6 - EUE 8rd tension. Collapse strength under axial tension was calculated based on the Westcott, Dunlop and Kemler curve. Engineering responsibility for use of this design will be that of the purchaser.
 Costs for this design are based on a 1987 pricing model. (Version 1.07)



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

April 23, 1996

River Gas Corporation
511 Energy Center Blvd.
Northport, Alabama 35476

Re: Telonis 19-151 Well, 860' FSL, 2000' FWL, SE SW, Sec. 19,
T. 14 S., R. 9 E., Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30299.

Sincerely,


R. J. Birt
Associate Director

lwp

Enclosures

cc: Carbon County Assessor

Bureau of Land Management, Moab District Office

WAPD




Operator: River Gas Corporation
Well Name & Number: Telonis 19-151
API Number: 43-007-30299
Lease: Fee
Location: SE SW Sec. 19 T. 14 S. R. 9 E.

Conditions of Approval

1. General
Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.
2. Notification Requirements
Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.
3. Reporting Requirements
All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.
4. A berm shall be constructed around the exterior boundary of the location.
5. Natural runoff will be diverted to the southeast.
6. No construction activity at the location shall occur at any time during the period from December 1 thru April 15.
7. The access road to the location shall be rerouted to conform with the existing terrain.

BASELINE DATA, INC.
1053 SOUTH STATE STREET
OREM, UTAH 84058
(801) 224-5288



May 14, 1996

Steven L. Prince
River Gas Corporation
Utah Operations
1305 S. 100 E.
Price, UT 84501

Re: Porphyry Bench Access Roads, Wells, Utility Corridors

Dear Steve:

Please find enclosed your copy of Baseline Data's research report #96-17, "A Cultural Resource Inventory of the River Gas Corporation Porphyry Bench Wells, Access Roads and Utility Corridors on State and Private Lands, Carbon County, Utah." We are sending copies to all the required state agencies.

Please let us know if we can be of any additional service to you in the future.

Sincerely,

A handwritten signature in dark ink, appearing to read "CH Hughes", written over a horizontal line.

Charles E. Hughes
President

cc: James Dykmann, Utah State Historic Preservation Officer
Mike Farrens, River Gas Corporation, Alabama
Mike Hebertson, Division of Oil Gas and Mining

ARCHAEOLOGICAL

HISTORICAL

ENVIRONMENTAL

AmSouth Bank

EXHIBIT "I"

Birmingham:

TELEX: 6827189
Cable: AMSOUBKBHM
S.W.I.F.T. AMSB US 44

AMSOUTH BANK OF ALABAMA
1900 FIFTH AVENUE NORTH
BIRMINGHAM, ALABAMA 35203 USA
OUR REFERENCE NUMBER: S304606

International Services

Mobile:

TELEX: 6821116
Cable: AMSOMBL
S.W.I.F.T. AMSB US 44

AMENDMENT NUMBER: 005
TO LETTER OF CREDIT NUMBER: S304606
DATE: NOVEMBER 13, 1995

BENEFICIARY:

STATE OF UTAH, DEPARTMENT OF
NATURAL RESOURCES, DIVISION OF
STATE LANDS AND FORESTRY
#3 TRIAD CENTER SUITE 400
355 WEST TEMPLE
SALT LAKE CITY, UTAH 84180-1204

AT THE REQUEST OF RIVER GAS CORPORATION 511 ENERGY CENTER BLVD
NORTHPORT, ALABAMA 35476

WE HEREBY AMEND OUR LETTER OF CREDIT NUMBER S304606 DATED
DECEMBER 14, 1990 OPENED IN YOUR FAVOR AS FOLLOWS:

-ACCOUNT PARTY'S ADDRESS IS CHANGES TO:

511 ENERGY CENTER BLVD.
NORTHPORT, ALABAMA 35476

**REFERENCES HEREIN TO AMSOUTH BANK N.A. SHALL BE DEEMED TO REFER
TO AMSOUTH BANK OF ALABAMA.**

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.

THIS AMENDMENT BECOMES AN INTEGRAL PART OF THE ORIGINAL LETTER OF
CREDIT AND IS TO BE ATTACHED THERETO.


AUTHORIZED SIGNATURE

AmSouth Bank

EXHIBIT "I"

Birmingham:

TELEX: 6827189
Cable: AMSOUBKBHM
S.W.I.F.T. AMSB US 44

AMSOUTH BANK OF ALABAMA
1900 FIFTH AVENUE NORTH
BIRMINGHAM, ALABAMA 35203 USA
OUR REFERENCE NUMBER: S308586

International Services

Mobile:

TELEX: 6821116
Cable: AMSOMBL
S.W.I.F.T. AMSB US 44

AMENDMENT NUMBER: 002
TO LETTER OF CREDIT NUMBER: S308586
DATE: NOVEMBER 13, 1995

BENEFICIARY:
STATE OF UTAH
DEPT. OF NATURAL RESOURCES
DIV. OF OIL, GAS AND MINING
355 WEST TEMPLE 3 TRIAD CENTER
SUITE 350
SALT LAKE CITY, UTAH 84180-1203

AT THE REQUEST OF RIVER GAS CORPORATION 3600 WATERMELON ROAD
SUITE 204 NORTHPORT, ALABAMA 35476 AND FOR THE ACCOUNT OF SAME


WE HEREBY AMEND OUR LETTER OF CREDIT NUMBER S308586 DATED
DECEMBER 3, 1993 OPENED IN YOUR FAVOR AS FOLLOWS:

-ACCOUNT PARTY'S ADDRESS IS CHANGED
TO: 511 ENERGY CENTER BLVD
NORTHPORT, ALABAMA 35476

**REFERENCES HEREIN TO AMSOUTH BANK N.A. SHALL BE DEEMED TO REFER
TO AMSOUTH BANK OF ALABAMA.**

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.
THIS AMENDMENT BECOMES AN INTEGRAL PART OF THE ORIGINAL LETTER OF
CREDIT AND IS TO BE ATTACHED THERETO.





AUTHORIZED SIGNATURE



RIVER GAS CORP.
WELL SITE LAYOUT
215' X 175'

EXHIBIT "H"

**RIVER GAS CORPORATION
TELONIS #19-151 LOCATION
PIT & PAD LAYOUT**



**Powers Elevation
Co., Inc.**
OIL FIELD ENGINEERS ■ SURVEYORS
13900 E. HARVARD AVE., SUITE 115
AURORA, CO. 80014
(303) 321-2217 FAX (303) 321-2218

FG = FINISHED GRADE

Scale : 1"=40'	Date : 10-21-95
Surveyed & Drawn by: AMMERMAN	
Checked : AMMERMAN	
Dwg. File : \DWGR12\RGC\19-151P	

CLIENT:
RIVER GAS CORPORATION
290 South Highway 55, Box 638
Price, Utah 84501-0638
(801) 637-8876/(801) 637-6835

PIT & PAD LAYOUT
TELONIS #19-151 WELL LOCATION
SW 1/4 SECTION 19
T 14 S, R 9 E
SALT LAKE MERIDIAN
CARBON COUNTY, UTAH

SHEET
2
OF
2

RESEARCH REPORT NO. 96-17

A CULTURAL RESOURCE INVENTORY OF THE RIVER
GAS CORPORATION PORPHYRY BENCH WELLS,
ACCESS ROADS AND UTILITY CORRIDORS ON STATE
AND PRIVATE LANDS, CARBON COUNTY, UTAH

BY

ASA S. NIELSON
AND
CHARLES E. HUGHES

FOR

RIVER GAS CORPORATION
PRICE, UTAH

BASELINE DATA, INC.
OREM, UTAH

UTAH STATE PROJECT AUTHORIZATION NO. U96-BS-0213p

May 1996

RESEARCH REPORT NO. 96-17

A CULTURAL RESOURCE INVENTORY OF THE RIVER
GAS CORPORATION PORPHYRY BENCH WELLS,
ACCESS ROADS AND UTILITY CORRIDORS ON STATE
AND PRIVATE LANDS, CARBON COUNTY, UTAH

BY

ASA S. NIELSON
AND
CHARLES E. HUGHES

FOR

RIVER GAS CORPORATION
PRICE, UTAH

BASELINE DATA, INC.
OREM, UTAH

UTAH STATE PROJECT AUTHORIZATION NO. U96-BS-0213p

May 1996

ABSTRACT

Baseline Data, Inc., has completed a cultural and paleontological resource inventory of the proposed River Gas Corporation Porphyry Bench wells, access roads, and utility corridors west of Price, in Carbon County, Utah. A total of 4 new well locations and a combined total of about 2 miles of roads and associated utility corridors were inventoried. Two new cultural resource sites (42Cb 1043 and 1044) and three isolated artifacts were recorded. No paleontological resources were observed. The recorded cultural resource are not eligible for the National Register and the proposed project will have no effect on the region's cultural or paleontological resource data base.

TABLE OF CONTENTS

ABSTRACT	ii
TABLE OF CONTENTS	iii
LIST OF FIGURES	iii
INTRODUCTION	1
LOCATION	1
ENVIRONMENT	4
GEOLOGY	4
FLORA	4
FAUNA	4
PREVIOUS RESEARCH	5
INVENTORY METHODS	5
INVENTORY RESULTS	6
CULTURAL	6
PALEONTOLOGICAL	7
NATURE OF PROPOSED IMPACTS	8
PROJECT RECOMMENDATIONS	9
REFERENCES CITED	10

LIST OF FIGURES

FIGURE 1-GENERAL PROJECT LOCATION	2
FIGURE 2-PROJECT/SITE LOCATION (USGS)	3

A CULTURAL RESOURCE INVENTORY OF THE RIVER GAS CORPORATION PORPHYRY BENCH WELLS, ACCESS ROADS AND UTILITY CORRIDORS ON STATE AND PRIVATE LANDS, CARBON COUNTY, UTAH

INTRODUCTION

Baseline Data, Inc., has completed a cultural and paleontological resource inventory of four proposed well locations, and about 1.93 miles of new access roads and/or associated utility corridors in Carbon County, Utah for River Gas Corporation. The proposed roads and utility corridors are part of the proposed 1996 drilling season for River Gas. The inventory was requested by Mr. Steve Prince of River Gas. The cultural resource inventory was completed by Asa S. Nielson, assisted by Charles E. Hughes.

Field conditions for the inventory were excellent. Ground visibility was near 100%, hampered only by sparse native vegetation. The inventory was carried out under Utah State Project Authorization No. U96-BS-0213p.

LOCATION

The project area is found about 7 miles west of Price, Carbon County and is located on Porphyry Bench (Figure 1). The Utah Railway is just to the west of the project area and Pinnacle Canyon to the east.

Well No. 1 (Telonis 19-150) is found in the NW1/4 SE1/4 NE1/4 NW1/4 of Section 19, T. 14S R.9E (Figure 2-Pinnacle Peak Quadrangle). The well location is just east of the Utah Railway.

Well No. 2 (Telonis 19-151) is found in the NW1/4 SE1/4 SE1/4 SW1/4 of Section 19, T.14S R.9E (Figure 2). Well No. 2 is also located east of the Utah Railway.

Well No. 3 (Arcadia Telonis D-2) is found in the NW1/4 SE1/4 SE1/4 SE1/4 of Section 19, T.14S R.9E (Figure 2). The location is a water disposal well.

Well No. 4 (Telonis 30-156) is found in the NE1/4 SW1/4 NE1/4 NE1/4 of Section 30, T.14S R.9E (Figure 2).

Access Road A begins at the existing and maintained Porphyry Bench road in the NE1/4 NE1/4 SE1/4 SE1/4 of Section 19, T.14S R.9E (Figure 2). The proposed access/utility corridor proceeds north along the section line fence on an existing road

0 20 40 60 80 Miles

0 20 40 60 80 Kilometers










FIGURE 1

GENERAL PROJECT LOCATION



-  Access Road
-  Well Location
-  Site/Isolated Artifact
- 

BASELINE DATA INC. OREM, UTAH

Project: River Gas - Pophyry Bench

County: Carbon

Quad: Pinnacle Peak

T. 14 S R. 9 E




Figure - 2

that will require some upgrading for about .45 miles. It then turn northwest for about .62 miles, passing north of the existing Burkinshaw 19-108 well and ending at Well No. 1 (Telonis 19-150).

Access Road B begins at the existing Phorphyry Bench Road in the NE1/4 NE1/4 SE1/4 SE1/4 of Section 19, T.14S R.9E (Figure 2) and proceeds northwest past the existing Pinnacle Peak No. 2 well. It then turns southwest to end at the proposed Well No. 2 (Telonis 19-151). The total length of the access road is about .7 miles.

Access Road C is a short, straight line beginning at an existing road in the NE1/4 SE1/4 SE1/4 SE1/4 of Section 19, T.14S R.9E (Figure 2). The road goes just north of west for about .09 miles to the proposed Arcadia Telonis Well D-2.

Finally, Access Road D begins is the NW1/4 SE1/4 NE1/4 NE1/4 of Section 30, T.14S R.9E (Figure 2). It runs straight west for about .075 miles, ending at the proposed Telonis 30-156 well.

ENVIRONMENT

GEOLOGY - The project area is within the Mancos Shale Lowlands Subsection: Colorado Plateau Province (Stokes 1977:4). The Wasatch plateau Subsection is just a short distance to the west. The entire area is dominated by eroded residual Mancos Shale Clay or alluvium and colluvium derived from the Mancos Shale (Hintze 1980). In a few locations, a thin cover of reddish-gray eolian sand covers narrow ridges or fills shallow washes. One unique anomaly noted along Access Road B is a narrow ridge of volcanic intrusive that does not show on major geological maps of the area. The majority of the location is experiencing heavy sheet and gully erosion that is striping topsoil into the arroyos.

FLORA - Most of the survey area is within Transitional Live Zone:Pinyon Juniper Plant Community. The well locations are all found in small sagebrush parks within the light juniper and pinyon woodland. The edges of the washes have thin bands of shadscale, some greasewood, and big sagebrush in sandy areas. In addition to the light juniper and pinyon, sagebrush, some shadscale, various grasses, annuals, and cacti are found scattered throughout the project area.

FAUNA - The project area is within the Colorado Plateau Faunal Area: Canyon Land Province-San Rafael Subcenter (Durrant 1952:480). This subcenter contains a number of small mammal subspecies, mostly rodents, found in no other province or subsection. The San Rafael Subcenter shares major fauna with surrounding subcenters. Direct observation of fauna was limited during the inventory to a few mule deer, blacktail jackrabbits, ground squirrels, a few common crows, pinyon jays,

a single red tailed hawk and a few magpies. Tracks of elk were found in pinyon zone and coyote tracks were common throughout the project location.

PREVIOUS RESEARCH

Baseline conducted a Class I file search at the Utah State Historic Preservation Office for cultural reports and sites. Martha Hyden of the Utah State Geological and Mineral Survey examined files for paleontological projects on behalf of Baseline. Both file search were completed prior to beginning the field inventory. River Gas Corporation provided several recent reports from the general area that are still in the review and posting process that were not available at the Historic Preservation Office at the time of the file search.

Baseline Data, Inc., (Norman, Nielson and Sulz 1995) completed an inventory of 32 wells and associated access locations, one of which was the Burkinshaw 19-108 well passed by Access Road A in Section 19. That report summarizes the previous research completed in the area prior to 1995. No previous or new sites were noted within the project area.

More recently, Powers Elevation Co., Inc., (Senulis 1995; Britt 1995; Newberry 1995; 1996; and Tucker 1995) has completed several inventories in the general region for River Gas. Britt (1995) recorded several non-sensitive paleontological localities, none of which are located near the present project area. Newberry (1995) recorded two non-eligible lithic scatters, and an historic canal (1996). The historic Carbon Canal (42Cb 1040) is considered to be eligible for the National Register and is west of the project area. It will not be impacted. The two small lithic scatters (42Cb 1030 and 1031) are south of the project area and will not be impacted.

Baseline has consulted the National Register of Historic Sites list published by the Utah State Historic Preservation Office. There are no sites currently listed on the National Register, or sites being considered for possible nomination to the National Register, found within close proximity of the proposed well locations or access/utility corridors.

INVENTORY METHODS

Two different methods were employed to accomplish the inventory. Access/utility corridors were flagged down the center line by River Gas prior to the inventory or followed existing roads marked on U.S.G.S. maps. A corridor approximately 20m wide (10+ meters on each side of the center line) was examined by walking a single zig-zag transect along the center of each line. Well locations

averaged about 150 x 150 feet but Baseline extended each location to an area of about 200 x 200 feet to ensure adequate coverage. Each location was marked in the corners by survey lath and flagging by River Gas prior to the inventory. Each well location was then examined by walking multiple transects, spaced about 20 m apart over the flagged area.

Sites and isolated artifacts were plotted on a U.S.G.S. map and were noted on field recording forms. No artifacts from any of the sites were collected. Photographs were taken of the sites and field location maps were drawn. None of the isolated artifacts were unique enough to be collected or photographed. Notes on the general flora, fauna and geology were completed as the survey progressed.

INVENTORY RESULTS

CULTURAL

Baseline recorded a total of two new cultural resource sites and three isolated artifacts. The site and isolated artifacts are briefly summarized below.

Site 42Cb 1043 is a deposit of historic trash found along side the Utah Railway and may be the remains of a small siding associated with the railroad. It is found in the SW1/4 NE1/4 NE1/4 NW1/4 and the NW1/4 SE1/4 NE1/4 NW1/4 of Section 19, T.14S R.9E (Figure 2). The site covers an area of roughly 50 x 30 m and is found on the edge of a small sage clearing within a moderate pinyon and juniper woodland. Soil at the site is mostly mixed Mancos Clay and colluvium from the near by hills.

The site consists of a scatter of historic domestic and construction trash. Artifacts include coal slag, coal fragments, bricks, tile, rubber hoses, clothing fragments, a variety of cans, shaped sandstone blocks, shipping bands, cut juniper fence posts, milled wood, discarded railroad ties and spikes, a variety of glass, crockery, modern (out-of-period) plastic and various metal fragments of unidentified function. There are no foundations or depressions at the site. Trowel probing noted about 30 cm of fill near the railroad.

It is difficult to date the site. There are no records on the site in the County files and no history of the site was available through the Utah Railway. Some of the glass is selenium tinted and a couple of light purple (amethyst) bottle fragments were noted. Several fragments of green glass and milk glass were noted. Missing from the glass are fragments with manufacture dates. There are also modern appearing glass fragments. One of the newer railroad ties has a 1949 stamp date, but other ties at the site appear to be much older and more deteriorated. The Utah Railway was organized in 1912 and the construction was completed to Morland in 1914 (Robertson, 1986:305) and the site probably post-dates the beginning of the railroad.

This site is not eligible for the National Register. There are no features or architecture with the site and the fill is mostly railroad slag. The trash appears to have had several origins and is probably not associated with features that are *in situ* at the site. The railroad is still in operation. The proposed well pad is on the very eastern edge of the site material. River Gas will remain on the non-railroad property and will not impact the site.

Site 42Cb 1044 is a small historic trash scatter that is probably the remains of a small livestock herd camp. It is found north of the proposed Access Road A and about 40 m northeast of the Burkinshaw 19-108 well examined by Baseline (Norman, Nielson and Sulz 1995). The site occupies an small area of 6 x 6 m in open sagebrush. A couple of small juniper are found near the site and the site surface is comprised of hard pack Mancos Clay and shale which is exposed in small blocks and fragments at the site. It is located in the NE1/4 NW1/4 SE1/4 NE1/4 of Section 19, T.14S R.9E (Figure 2).

The site consists of a scatter of domestic household trash, including three crimp-seal evaporated milk cans, two crimp-seal meat product cans, three knife cut lids, a rubber sole from a small child's (2-5 year old) shoe, a baby milk bottle with a slight amethyst tint and four fragments of clear glass. None of the artifacts are diagnostic. There are no features at the site and no evidence of depth. The age of the site is not known. There are no features and the site appears to lack data recovery potential. It is not eligible for the National Register.

Isolated Artifact No. 1 is a single chert primary flake. The flake appears to be from the end of a cobble and contains considerable cortex on the outside. None of the edges have any evidence of use or re-working. It is not diagnostic.

Isolated Artifact No. 2 is a single crushed, solder-sealed, hole-in-top milk can.

Isolated Artifact No. 3 is a fragment of dark green body glass, hand-finished, containing marks from a wood mold and air bobbles. It is relatively thick and may have been from a wine bottle.

PALEONTOLOGY

Baseline recorded no new paleontological remains in the area. While some non-sensitive remains have been located near by (Britt 1995), the State Paleontologist has determined that this location has a low probability for recording sensitive fossils remains and no certified paleontologist was requested to examine the well sites and access roads.

NATIONAL REGISTER EVALUATIONS

The criteria for judging the significance of any given site, and its potential for nomination to the National Register are provided in 36 CFR 60.4.

The quality of significance in American history, architecture, archaeology, and culture is present in district, sites, buildings, structures, and objects of state and local importance that possess integrity of locations, design, setting, materials, workmanship, feeling and associations; and

- a) that are associated with events that have made a significant contribution to the broad patterns of our history, or
- b) that are associated with the lives of persons significant in our past; or
- c) that embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or distinguishable entity whose components may lack individual distinction; or
- d) that have yielded, or may be likely to yield information important in prehistory or history.

Given the above criteria, none of the sites or isolated artifacts found during the inventory are eligible for the National Register. The sites all lack diagnostic remains, architecture, association with historic events or persons. There all appear to lack data recovery potential.

NATURE OF PROPOSED IMPACTS

Baseline completed an inventory of four well locations and about 1.93 miles of access/utility corridors within the inventory area. Each access road will be leveled with heavy equipment. The utility corridors will be impacted according to use. As an access road, the utility corridors will be graded using heavy equipment, and will be traveled extensively with a variety of equipment and personnel. Utility corridors that will be used only as pipelines will be excavated using either continuous-trenching or backhoe equipment. Average width and depth of the trenches will be about 1 m. Future maintenance may require additional disturbance along the utility corridors and access roads.

The well pad will be leveled with heavy equipment. A large pit is usually excavated into one end or side of the well to trap well drilling fluid and drilling mud. Well heads will be installed and the sites subject to constant upkeep.

The project will not impact any National Register quality remains or isolated artifacts.

PROJECT RECOMMENDATIONS

No National Register quality cultural resources or sensitive paleontological resources were noted during this inventory. It is the opinion of Baseline Data, that the project as currently planned will have no effect on the region's cultural or paleontological data bases. No further research or mitigation is recommended.

REFERENCES CITED

Britt, Brooks B.

- 1995 *River Gas Corporation Wells on State Lands Near Price, Utah Paleontological Resource Inventory Report*. Powers Elevation Co., Inc., Aurora.

Durrant, Steven D.

- 1952 *Mammals of Utah Taxonomy and Distribution*. University of Kansas Publications Museum of Natural History, Lawrence.

Hintze, Lehi F.

- 1980 *Geological Map of Utah*. Department of Natural Resources, Utah Geological and Mineral Survey. Salt Lake City.

Newberry, Gregory S.

- 1995 *1996 Development Plan Twenty-four Gas Wells and Associated Access Roads, Carbon and Emery Counties, Utah*. Powers Elevation Co., Inc., Aurora.
- 1996 *1996 Development Plan: Utah #2-168 Well Location, Access Roads, and Flowlines A Cultural Resources Inventory Carbon and Emery Counties, Utah*. Powers Elevation Co., Inc., Aurora.

Norman, V. Garth, Asa S. Nielson and Shane R. Sulz

- 1995 *A Cultural Resource Inventory of the River Gas Corporation 1995 Drilling Season in Emery and Carbon County, Utah, on State, Private and Federal Land*. Research Report No. B95-13. Baseline Data, Inc., Orem.

Robertson, Donald B.

- 1986 *Encyclopedia of Western Railroad History*. Caxton Printers, Ltd., Caldwell.

Senulis, John A.

- 1995 *River Gas 12-166 Well Location Cultural Resource Inventory Carbon County, Utah*. Powers Elevation Co., Inc., Aurora.

Stokes, W. Lee

- 1977 *Subdivision of the Major Physiographic Provinces in Utah. Utah Geology 4(1)*. Department of natural Resources, Utah State Geological and Mineral Survey. Salt Lake City.

Tucker, Gordon C.

1995 1996 *Development Plan, Carbon County, Utah*. Letter of Transmittal,
Powers Elevation Co., Inc., Aurora.

UTAH STATE HISTORIC PRESERVATION OFFICE
PROJECT SUMMARY FORM

PROJECT NAME: Access Roads/River Gas Corp., 1996 Drilling Season

STATE PROJ. NO.: U96-BS-0213SP

PRINCIPAL INVESTIGATOR: Asa S. Nielson

FIELD SUPERVISOR(S) Asa S. Nielson

ACREAGE SURVEYED

INTENSIVE: 5 ACRES RECON/INTUITIVE: ACRES

7.5' SERIES USGS MAP REFERENCE(S): Pinnacle Peak, 7.5 Quad

SITES REPORTED 2 COUNT SMITHSONIAN SITE NOS.

ARCHAEOLOGICAL SITES

REVISITS (NO INVENTORY UPDATE) 0

REVISITS (UPDATED IMACS ATTACHED) 0

NEW RECORDINGS (IMACS ATTACHED) 2 42Cb 1043 and 1044

TOTAL ARCHAEOLOGICAL SITES 2

HISTORIC STRUCTURES (106 SITE INFO ATTACHED) 0

TOTAL NATIONAL REGISTER ELIGIBLE SITES 0

CHECKLIST OF REQUIRED ITEMS

1. X 1 COPY OF THE FINAL REPORT
2. X 7.5' SERIES USGS MAP W/ SURVEY/EXCAVATION AREA MARKED
3. X COMPLETED IMACS SITE INVENTORY FORMS, INCLUDING
 - X PARTS A AND B OR C,
 - X IMACS ENCODING FORM,
 - X SITE SKETCH MAP,
 - X PHOTOGRAPHS, AND
 - X 7.5' SERIES USGS MAP W/ SITE LOCATIONMARKED AND LABELED W/ SMITHSONIAN SITE NUMBER
4. X COMPLETED "COVER SHEET" W/ FINAL REPORT AND FORMS

SPUDDING INFORMATION

Name of Company: RIVER GAS CORP.

Well Name: TELONIS 19-151

Api No. 43-007-30299

Section 19 Township 14S Range 9E County CARBON

Drilling Contractor PENSE BROS

Rig #: 2

SPUDDED:

Date: 7/16/96

Time: 8:00 PM

How: ROTARY

Drilling will commence: _____

Reported by: GREG MUELLER

Telephone #: _____

Date: 7/16/96 Signed: JLT

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR River Gas Corporation
ADDRESS 1305 South 100 East
Price, UT 84501


OPERATOR ACCT. NO. N 1605

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	11952	43-007-30299	Telonis 19-151	SE/SW	19	14S	9E	CARBON	7/15/96	
WELL 1 COMMENTS: <i>Entity added 7-23-96. Lee</i>											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See Instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.



Steven L. Prince
Signature

Regulatory Manager July 16, 1996

Title Date

Phone No. (801)637-8876

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:
River Gas Corporation

3. Address and Telephone Number:
1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well
Footages: 860' FSL, 2000' FWL

QQ, Sec., T., R., M.: SE/SW, SEC. 19, T14S, R09E, SLB&M

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

N/A

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

UNDESIGNATED

County: Carbon

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Weekly Report</u> | |


Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED



13.

Name & Signature: Steven L. Prince

Steven L. Prince

Title: Regulatory Manager

Date: 7/23/96

(This space for state use only)

DAILY WELL REPORT

RIVER GAS CORPORATION

TELONIS 19-151

860' FSL & 2000' FWL

SE/4 OF SW/4, SEC 19, T14S, R9E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 6443'

API #: 43-007-30299

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY, INC.

PAGE 1

07/16/96 Day 1. Present Operations: Drilling conductor. Current Depth: 20'. Depth drilled in 24 hrs: 20'. Drilling fluid: Air, 300psi, & 1700 cfm. Drilled 20' w/#1 14-3/4" tricone bit in 2 hrs. Total rotating hrs: 2. **Spud Well 8:00pm, 7/15/96.** Drilled conductor from 8-10pm then shut down until 7:00am. **Daily Costs: \$ 1044.80. Cumulative Costs: \$1044.80.**

07/17/96 Day 2. Present Operations: Testing BOP's. Current Depth: 320'. Depth drilled in 24 hrs: 300'. Drilling fluid: Air, 300psi, & 1700 cfm. Drilled 30.5' w/#1 14-3/4" tricone bit in 1 1/2" hrs. Drilled 30.5' to 340' w/#2 11" hammer bit in 4 hrs. Total rotating hrs: 7 1/2. **Plug DN 8:30pm 7/16/96.** Set 1 jnt 12-3/4" P.E. conductor csg @ 30.5' in a 14-3/4" conductor borehole. **Set 11 jnts 8 5/8" Surface csg @ 319.5' in an 11" surface borehole using 160 sks "G" + 2% S-1 + 1/4#/sk D-29. Daily Costs: \$8933.83. Cumulative Costs: \$9978.63.**

07/18/96 Day 3. Present Operations: Drilling. Current Depth: 2380'. Depth drilled in 24 hrs: 2040'. Drilling fluid: Air, 350psi, & 1700 cfm. Drilled 340' w/#3 7 7/8" hammer bit in 19 hrs. Total rotating hrs: 26 1/2. Wait on BOP tester & test BOP's to 1400 psi, csg, valves, & manifold. TIH & drill 60 of cmt. Start drilling formation @ 2:00pm. **Daily Costs: \$25790.00. Cumulative Costs: \$35768.63.**

07/19/96 Day 4. Present Operations: Drilling. Current Depth: 3100'. Depth drilled in 24 hrs: 720'. Drilling fluid: Air, 350psi, & 1700 cfm. Drilled 320' to 2500' w/#34 7-7/8" hammer bit in 5 hrs. Drilled 2500' w/#4 7 7/8" tricone bit in 19 hrs. Total rotating hrs: 50 1/2. **Daily Costs: \$10479.95. Cumulative Costs: \$46248.58.**

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

RIVER GAS CORPORATION

3. Address and Telephone Number:

1305 SOUTH 100 EAST, PRICE, UTAH 84501 (801) 637-8876

4. Location of Well

Footages:

860' FSL, 2000' FWL

QQ, Sec., T., R., M.:

SE/SW, SEC. 19, T14S, R09E, SLB&M

County:

CARBON

State:

UTAH

11. **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA****NOTICE OF INTENT**
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Weekly Report</u> | |


Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED



13.

Name & Signature: Rochelle Crabtree

Title: Office Coordinator

Date: 8/02/96

(This space for state use only)

DAILY WELL REPORT

RIVER GAS CORPORATION

TELONIS 19-151

860' FSL & 2000' FWL

SE/4 OF SW/4, SEC 19, T14S, R9E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 6443'

API #: 43-007-30299

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY, INC.

PAGE 1

07/16/96 Day 1. Present Operations: Drilling conductor. Current Depth: 20'. Depth drilled in 24 hrs: 20'. Drilling fluid: Air, 300psi, & 1700 cfm. Drilled 20' w/#1 14-3/4" tricone bit in 2 hrs. Total rotating hrs: 2. **Spud Well 8:00pm, 7/15/96.** Drilled conductor from 8-10pm then shut down until 7:00am. **Daily Costs: \$ 1044.80. Cumulative Costs: \$1044.80.**

07/17/96 Day 2. Present Operations: Testing BOP's. Current Depth: 320'. Depth drilled in 24 hrs: 300'. Drilling fluid: Air, 300psi, & 1700 cfm. Drilled 30.5' w/#1 14-3/4" tricone bit in 1 1/2" hrs. Drilled 30.5' to 340' w/#2 11" hammer bit in 4 hrs. Total rotating hrs: 7 1/2. **Plug DN 8:30pm 7/16/96.** Set 1 jnt 12-3/4" P.E. conductor csg @ 30.5' in a 14-3/4" conductor borehole. Set 11 jnts 8 5/8" Surface csg @ 319.5' in an 11" surface borehole using 160 sks "G" + 2% S-1 + 1/4#/sk D-29. **Daily Costs: \$8933.83. Cumulative Costs: \$9978.63.**

07/18/96 Day 3. Present Operations: Drilling. Current Depth: 2380'. Depth drilled in 24 hrs: 2040'. Drilling fluid: Air, 350psi, & 1700 cfm. Drilled 340' w/#3 7 7/8" hammer bit in 19 hrs. Total rotating hrs: 26 1/2. Wait on BOP tester & test BOP's to 1400 psi, csg, valves, & manifold. TIH & drill 60 of cmt. Start drilling formation @ 2:00pm. **Daily Costs: \$25790.00. Cumulative Costs: \$35768.63.**

07/19/96 Day 4. Present Operations: Drilling. Current Depth: 3100'. Depth drilled in 24 hrs: 720'. Drilling fluid: Air, 350psi, & 1700 cfm. Drilled 320' to 2500' w/#34 7-7/8" hammer bit in 5 hrs. Drilled 2500' w/#4 7 7/8" tricone bit in 19 hrs. Total rotating hrs: 50 1/2. **Daily Costs: \$10479.95. Cumulative Costs: \$46248.58.**

07/22/96 Day 5. Present Operations: Circulate mud/Clear gas kick. Current Depth: 3310'. Depth drilled in 24 hrs: 210'. Drilling fluid: Mud, 450 psi. Drilled 2500' to 3310' w/#4 7 7/8 tricone bit in 24 hrs. Total rotating hrs: 74 1/2. **TD 1:00pm, 7/19/96, 3310'. Daily Costs: \$11358.00. Cumulative Costs: \$57606.58.**

07/23/96 Day 6. Present Operations: Done - Rig Released. Current Depth: 3310'. Total rotating hrs: 50 1/2. Rig released @ 7:00am, 7/21/96. **Ran caliper, gamma, neutron, & bond log. Set 82 jnts 5 1/2 17#/ft Production Csg @ 3289.12' in 7 7/8 production borehole using 307 sks 50/50 POZ/G +8% D-20 + 10% D-44 + 2% S-1 & 143 sks 10-1 RFC. Daily Costs: \$14051.40. Cumulative Costs: \$71657.98.**

07/31/96 Day 7. Present Operations: Done - Rig Released. Current Depth: 3250'. TIH to condition hole w/mud 9.4 PPG 92 vis., circulate, & POOH to log. **Ran density, gamma, caliper, & neutron logs. RD Schlumberger. Rig released @ 11:30pm 7/27/96. Daily Costs: \$27216.07. Cumulative Costs: \$98874.05. Set 82 jnts 5 1/2" Production Csg @ 3289.12' in 7 7/8" production borehole using 307 sks 50/50 POZ G + 8% D-20 + 10% D-44 + 2% S-1 & 143 sks 10-1 RFC. Daily Costs: \$49245.75. Cumulative Costs: \$148119.80.**

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

N/A

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

UNDESIGNATED

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

Footages:

860' FSL, 2000' FWL

County: CARBON

QQ, Sec., T., R., M.: SE/SW, SEC. 19, T14S, R09E, SLB&M

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Weekly Report</u> | |


Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED



13.

Name & Signature: Steven L. Prince

Regulatory/Engineering
Manager

Title:

Date: 08/16/96

(This space for state use only)

RIVER GAS CORPORATION

TELONIS 19-151

860' FSL & 2000' FWL

SE/4 OF SW/4, SEC 19, T14S, R9E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 6443'

API #: 43-007-30299

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY, INC.

PAGE 2

08/16/96

7/31/96-RU Pool Co. & floor. MU tbg head. PU & RIH w/5 1/2" csg scraper. X.o. 100 jnts tbg. POOH & LD 100 jnts tbg x.o. 7 csg scraper. Run scraper to 3100'. RD floor. & Service unit. Work on tail pin on derrick trying to loosen it up. Welder cut off tail pins & collars. **Daily Costs: \$1015.00 Cumulative Costs: \$149134.80.**

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

N/A

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

UNDESIGNATED

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

Footages: 860' FSL, 2000' FWL

County: CARBON

QQ, Sec., T., R., M.: SE/SW, SEC. 19, T14S, R09E, SLB&M

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Weekly Report</u> | |

Date of work completion _____


Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED

CONFIDENTIAL



13.

Name & Signature: Steven L. Prince

Regulatory/Engineering
Manager

Title:

Date: 08/29/96

(This space for state use only)

RIVER GAS CORPORATION

TELONIS 19-151

860' FSL & 2000' FWL

SE/4 OF SW/4, SEC 19, T14S, R9E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 6443'

API #: 43-007-30299

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY, INC.

PAGE 2


08/16/96

7/31/96-RU Pool Co. & floor. MU tbg head. PU & RIH w/5 1/2" csg scraper. X.o. 100 jnts tbg. POOH & LD 100 jnts tbg x.o. 7 csg scraper. Run scraper to 3100'. RD floor. & Service unit. Work on tail pin on derrick trying to loosen it up. Welder cut off tail pins & collars. **Daily Costs: \$1015.00 Cumulative Costs: \$149134.80.**

08/27/96

Frac Job Completed by Mitch Mitchell and Dowell on 8/25/96. Daily Costs: \$53691.78. Cumulative Costs: \$202826.58.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT for such proposals.

6. Lease Designation and Serial Number

Patented

7. Indian Allottee or Tribe Name

N/A

8. Unit or Communitization Agreement

N/A

1. Type of Well

☐

Oil Well

☒

Gas Well

☐ Other (specify)

9. Well Name and Number

Telonis 19-151

2. Name of Operator

River Gas Corporation

10. API Well Number

43-007-30299

3. Address of Operator

511 Energy Center Northport, AL 35476

4. Telephone Number

(205) 759-3282

11. Field and Pool, or Wildcat

5. Location of Well

Footage : 860' FSL & 2000' FWL

County : Carbon

QQ, Sec. T., R., M. : SESW Sec 19, T14S, R9E

State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate Date Work Will Start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input checked="" type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The following work has been completed on the Telonis 19-151 well to prepare for the production test. On 09/10/96, a production log was ran. On 09/23/96, memory gauges were placed at a depth of 2834'. On 09/24/96, the well was opened and a test rate was established at the rate of 1 MMCFPD. River Gas plans to flare gas at that rate for a period of 10 days. Then the well will be shut-in, and the pressure build-up recorded for 14 days. After the memory gauges are removed, the well will be shut-in until further notice.

14. I hereby certify that the foregoing is true and correct

Name & Signature Dennis Plowman

Title Reservoir Tech.

Date 09/27/96

(State Use Only)

DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

860' FSL, 2000' FWL

Footages:

QQ, Sec., T., R., M.: SE/SW, SEC. 19, T14S, R09E, SLB&M

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

N/A

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

UNDESIGNATED

County: CARBON

State: UTAH

11. **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA****NOTICE OF INTENT**

(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start

SUBSEQUENT REPORT

(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ | |


Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED

CONFIDENTIAL



13.

Name & Signature: Rochelle Crabtree

Rochelle Crabtree

Title:

Administrative Assistant -
Production

Date:

10/17/96

(This space for state use only)

RIVER GAS CORPORATION

TELONIS 19-151

860' FSL & 2000' FWL

SE/4 OF SW/4, SEC 19, T14S, R9E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 6443'

API #: 43-007-30299

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY, INC.

PAGE 2

07/31/96 Day 7. Present Operations: Done - Rig Released. Current Depth: 3250'. TIH to condition hole w/mud 9.4 PPG 92 vis., circulate, & POOH to log. **Ran density, gamma, caliper, & neutron logs.** RD Schlumberger. Rig released @ 11:30pm 7/27/96. **Daily Costs: \$27216.07. Cumulative Costs: \$98874.05. Set 82 jnts 5 1/2" Production Csg @ 3289.12' in 7 7/8" production borehole using 307 sks 50/50 POZ G + 8% D-20 + 10% D-44 + 2% S-1 & 143 sks 10-1 RFC. Daily Costs: \$49245.75. Cumulative Costs: \$148119.80.**

08/16/96 7/31/96-RU Pool Co. & floor. MU tbg head. PU & RIH w/5 1/2" csg scraper. X.o. 100 jnts tbg. POOH & LD 100 jnts tbg x.o. 7 csg scraper. Run scraper to 3100'. RD floor. & Service unit. Work on tail pin on derrick trying to loosen it up. Welder cut off tail pins & collars. **Daily Costs: \$1015.00 Cumulative Costs: \$149134.80.**

08/27/96 **Frac Job Completed by Mitch Mitchell and Dowell on 8/25/96. Daily Costs: \$53691.78. Cumulative Costs: \$202826.58.**

10/17/96 8/22/96-Move rig to location. SDFN. **Daily Costs: \$263.00. Cumulative Costs: \$203089.58.** 8/23/96-RU Colorado Well Service & spot equip. TIH w/mill x.o., 6-3 1/8" DC's x.o., & 88 jnts tbg. Tagged sand @ 2821'. Clean out of sand to plug @ 2902', drill out plug & circulate hole clean to plug @ 2965'. Drill on plug, fell through, circulate well clean. POOH w/10 jnts tbg. SDFN **Daily Costs: \$2305.5. Cumulative Costs: \$205395.08.** 8/24/96-TIH tag @ 3022'. PU swvl, brake circulation 15 bbls fill hole. Clean out sand to 3050', fell thru, circ DN to 3217'. Clean out well to 3270'. Circulate clean. Rack swvl up, take stripper off. TOOH & LD DC's. PU BHA for production. TIH 102 jnt tbg & land w/ EOT @ 3153', SN @ 3119'. ND BOP's, NU Wellhead, & RD floor. RU swab equip. Fluid level @ 500' & swab 80 bbls to pit in 10 runs. Leave tbg open to pit. Csg closed, trace of sand. **Daily Costs: \$1981.10. Cumulative Costs: \$207376.18.** 8/25/96-STCP 450 psi, SITP 0 psi. RU swab & make 2 runs, fluid level @ 400' on both runs. Recovered 34 bbls water. Well started flowing. Kill well w/70 bbls fluid. ND Wellhead, NU BOP's, & circulate well clean. POOH w/102 jnts tbg, SN, perf sub, 1 jnt tbg, & bull plug. TIH w/1 jnt tbg, PKR, SN, 93 jnts tbg. ND BOP, set PKR in 8000 compression. MU hanger & land tbg SN @ 2835', EOT @ 2867'. NU BOP, RU swab equip. Make 5 runs & recovered 42 bbls. Fluid well started flowing. SDFN. **Daily Costs: \$2100.10. Cumulative Costs: \$209476.28.** 8/26/96-tbg psi 1020. RD & clean pump & tank. NU choke & flowline. Flow well to pit. RD Service unit. **Daily Costs: \$764.00. Cumulative Costs: \$210240.28.**

DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

Footages:

860' FSL, 2000' FWL

QQ, Sec. T., R., M.: SE/SW, SEC. 19, T14S, R09E, SLB&M

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

N/A

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

UNDESIGNATED

County: CARBON

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT

(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start

SUBSEQUENT REPORT

(Submit Original Form Only)


- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Weekly Report</u> | |

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED



13.

Name & Signature:

Rochelle Crabtree

Rochelle Crabtree

Title:

Administrative Assistant -
Production

Date:

10/17/96

(This space for state use only)

RIVER GAS CORPORATION

TELONIS 19-151

860' FSL & 2000' FWL

SE/4 OF SW/4, SEC 19, T14S, R9E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 6443'

API #: 43-007-30299

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY, INC.

PAGE 2

07/31/96 Day 7. Present Operations: Done - Rig Released. Current Depth: 3250'. TIH to condition hole w/mud 9.4 PPG 92 vis., circulate, & POOH to log. **Ran density, gamma, caliper, & neutron logs.** RD Schlumberger. Rig released @ 11:30pm 7/27/96. **Daily Costs: \$27216.07. Cumulative Costs: \$98874.05. Set 82 jnts 5 1/2" Production Csg @ 3289.12' in 7 7/8" production borehole using 307 sks 50/50 POZ G + 8% D-20 + 10% D-44 + 2% S-1 & 143 sks 10-1 RFC. Daily Costs: \$49245.75. Cumulative Costs: \$148119.80.**

08/16/96 7/31/96-RU Pool Co. & floor. MU tbg head. PU & RIH w/5 1/2" csg scraper. X.o. 100 jnts tbg. POOH & LD 100 jnts tbg x.o. 7 csg scraper. Run scraper to 3100'. RD floor. & Service unit. Work on tail pin on derrick trying to loosen it up. Welder cut off tail pins & collars. **Daily Costs: \$1015.00 Cumulative Costs: \$149134.80.**

08/27/96 **Frac Job Completed by Mitch Mitchell and Dowell on 8/25/96. Daily Costs: \$53691.78. Cumulative Costs: \$202826.58.**

10/17/96 8/22/96-Move rig to location. SDFN. **Daily Costs: \$263.00. Cumulative Costs: \$203089.58.** 8/23/96-RU Colorado Well Service & spot equip. TIH w/mill x.o., 6-3 1/8" DC's x.o., & 88 jnts tbg. Tagged sand @ 2821'. Clean out of sand to plug @ 2902', drill out plug & circulate hole clean to plug @ 2965'. Drill on plug, fell through, circulate well clean. POOH w/10 jnts tbg. SDFN **Daily Costs: \$2305.5. Cumulative Costs: \$205395.08.** 8/24/96-TIH tag @ 3022'. PU swvl, brake circulation 15 bbls fill hole. Clean out sand to 3050', fell thru, circ DN to 3217'. Clean out well to 3270'. Circulate clean. Rack swvl up, take stripper off. TOO H & LD DC's. PU BHA for production. TIH 102 jnt tbg & land w/ EOT @ 3153', SN @ 3119'. ND BOP's, NU Wellhead, & RD floor. RU swab equip. Fluid level @ 500' & swab 80 bbls to pit in 10 runs. Leave tbg open to pit. Csg closed, trace of sand. **Daily Costs: \$1981.10. Cumulative Costs: \$207376.18.** 8/25/96-STCP 450 psi, SITP 0 psi. RU swab & make 2 runs, fluid level @ 400' on both runs. Recovered 34 bbls water. Well started flowing. Kill well w/70 bbls fluid. ND Wellhead, NU BOP's, & circulate well clean. POOH w/102 jnts tbg, SN, perf sub, 1 jnt tbg, & bull plug. TIH w/1 jnt tbg, PKR, SN, 93 jnts tbg. ND BOP, set PKR in 8000 compression. MU hanger & land tbg SN @ 2835', EOT @ 2867'. NU BOP, RU swab equip. Make 5 runs & recovered 42 bbls. Fluid well started flowing. SDFN. **Daily Costs: \$2100.10. Cumulative Costs: \$209476.28.** 8/26/96-tbg psi 1020. RD & clean pump & tank. NU choke & flowline. Flow well to pit. RD Service unit. **Daily Costs: \$764.00. Cumulative Costs: \$210240.28.**

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT— for such proposals

6. Lease Designation and Serial Number

PATENTED

7. Indian Allottee or Tribe Name

N/A

8. Unit or Communitization Agreement

N/A

1. Type of Well

☐ Oil Well

☐ Gas Well

☒ Other (specify)

9. Well Name and Number

Telonis 19-151

2. Name of Operator

River Gas Corporation

10. API Well Number

43-007-30299

3. Address of Operator

1305 South 100 East, Price, UT 84501

4. Telephone Number

(801) 637-8876

11. Field and Pool, or Wildcat

UNDESIGNATED

5. Location of Well

Footage : 860' FSL, 2000' FWL

County : Carbon

CQ. Sec. T., R., M. : SE/SW, SEC 19, T14S, R09E, SLB&M

State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other | |

Approximate Date Work Will Start

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input checked="" type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other | |

Date of Work Completion


Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

A constant rate/build-up test was performed 09/24/96 - 10/04/96. Gauges were set in the seating nipple at 2834' to measure the bottomhole pressure. Initial pressure was noted to be 1079 psig. The well was flowed for 10 days at a constant rate of 1.1 MMCFPD and shut-in for 14 days to allow the reservoir to return to static conditions. True static conditions were not reached, and the pressure drop was found to be 10 psig. Cumulative gas produced was 11.5 MMCF and cumulative water produced was 1501 BBLS.

Results attached.



4. I hereby certify that the foregoing is true and correct.

Name & Signature

Date (Use Only)

Tammie J. Courington

Tammie J. Courington

Title Development Eng.

Date 11/06/96

Telonis 19-151


Diff: 0-100"

Pressure Base: 14.73

Specific Gravity: 1.19

Date	WH PSI	Choke Size	Static.	Differential	Coefficient	Gas (MCF)	Water (BBL)
24-Sep-96		18/64	8.4	7.9	17.44	1157	
25-Sep-96	825	18/64	8.3	7.9	17.44	1124 ?	
26-Sep-96	820	18/64	8.5	6.7	17.44	993	132
27-Sep-96	810	18/64	8.5	6.7	17.44	993	158
28-Sep-96	770	18/64	8.5	6.5	17.44	963	175
29-Sep-96	770	18/64	8.8	6.7	17.44	1028	214
30-Sep-96	755	18/64	8.7	6.7	17.44	1028	211
01-Oct-96	755	18/64	8.6	6.4	17.44	960	202
02-Oct-96	770	17/64	8.6	6.1	17.44	915	193
03-Oct-96	750	17/64	7.2	5.2	17.44	715	188
04-Oct-96	750	17/64	7.6	5.8	17.44	768	28

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING



WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other _____				5. LEASE DESIGNATION AND SERIAL NUMBER Patented Land	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____				6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR River Gas Corporation				7. UNIT AGREEMENT NAME N/A	
3. ADDRESS OF OPERATOR 1305 South 100 East, Price, UT 84501 (801)637-8876				8. FARM OR LEASE NAME TELONIS	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 860' FSL, 2000' FWL At top prod. interval reported below At total depth				9. WELL NUMBER 19-151	
10. FIELD AND POOL, OR WILDCAT: UNDESIGNATED				11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA SE/SW, SEC. 19, T14S, R09E, SLB & M	
14. API NO. 43-007-30299		DATE ISSUED 4/23/96		12. COUNTY Carbon	
15. DATE SPUDDED 7/15/96		16. DATE T.D. REACHED 7/19/96		13. STATE UTAH	
17. DATE COMPL. (Ready to prod.) or (Plug & Abd.) 9/24/96		18. ELEVATIONS (DF, REB, RT, GR, ETC.) 6443' GR		19. ELEV. CASINGHEAD	
20. TOTAL DEPTH, MD & TVD '3310'		21. PLUG BACK T.D., MD & TVD 3250'		22. IF MULTIPLE COMPL., HOW MANY N/A	
23. INTERVALS DRILLED BY		ROTARY TOOLS to TD		CABLE TOOLS N/A	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD OR TVD) 2866'-2897' Upper Ferron, 2915'-2955' Middle Ferron, 2982'-3050' Lower Ferron					25. WAS DIRECTIONAL SURVEY MADE NO
26. TYPE ELECTRIC AND OTHER LOGS RUN BOND, LITHO-DENSITY/COMP. NEUTRON/GR, ARRAY INDUCTION, PRODUCTION					27. WAS WELL CORED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> (Submit analysis) DRILL STEM TEST YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> (See reverse side)
28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
12 3/4"		30.5'	14-3/4"	CONDUCTOR	
8-5/8"		319.5'	11"	160 SX "G" + 2% S-1 + 1/4#/SK D-29	
5-1/2"	17.0	3289.12'	7-7/8"	307SX 50/50 POZ/G + 8% D-20 + 10% D-44 + 2% S-1 & 143SX 10-1 REC	
29. LINER RECORD					
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	
30. TUBING RECORD					
SIZE	DEPTH SET (MD)	PACKER SET (MD)			
2-7/8"	2867'	2835'			
31. PERFORATION RECORD (Interval, size and number)					
2866-68, 2890-97, 2915-19, 2936-42, 2946-48, 2953-55, 2982-86, 2998-3006, 3035-37, 3042-50					
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
2866-2897		10,000#-20/40, 70,700#-12/20, 697 bbl			
2915-2942		35,000#-20/40, 29,000#-12/20 654 bbl			
2982-3050		35,000#-20/40, 55,000#-12/20, 1108 bbl			
33. PRODUCTION					
DATE FIRST PRODUCTION 9/24/96		PRODUCTION METHOD (Flowing, gas lift, pumping---size and type of pump) Flowing			WELL STATUS (Producing or shut-in) Shut-In
DATE OF TEST 9/24/96	HOURS TESTED 240	CHOKE SIZE 18/64-17/64	PROD'N. FOR TEST PERIOD	OIL---BBL N/A	GAS---MCF. 10644
WATER---BBL 1501	GAS-OIL RATIO N/A				
FLOW, TUBING PRESS. 750	CASING PRESSURE N/A	CALCULATED 24-HOUR RATE	OIL---BBL N/A	GAS---MCF. 39.5	WATER---BBL 6.25
OIL GRAVITY - API (CORR.) N/A					
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Flared					TEST WITNESSED BY Mitch Mitchell
35. LIST OF ATTACHMENTS LOGS: GBL W/GR, ARRAY INDUCTION, LITHO-DENSITY/COMPENSATED NEUTRON, PRODUCTION					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED Steven L. Prince		TITLE Regulatory Manager		DATE 12/30/96	

See Spaces for Additional Data on Reverse Side

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.

ITEMS 22 AND 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottoms(s) and names(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.


ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

37. SUMMARY OF POROUS ZONES:

Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

38. GEOLOGIC MARKERS

Formation	Top	Bottom	Description, contents, etc.	Name	Top	
					Meas. Depth	True Vert. Depth
FERRON	2843	3041	FG SANDSTONE & COAL	Blue Gate Bentonite Top	2676	2676



STATE OF UTAH
DIVISION OF OIL, GAS AND MINING**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (801)637-8876

4. Location of Well

Footages:

860' FSL, 2000' FWL

QQ, Sec., T., R., M.: SE/SW, SEC. 19, T14S, R09E, SLB&M

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

N/A

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

UNDESIGNATED

County: CARBON

State: UTAH

11. **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA****NOTICE OF INTENT**

(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start

SUBSEQUENT REPORT

(Submit Original Form Only)


- | | |
|---|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Chemical Treatment</u> | |

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low pH fluid on 03/27/97.

CONFIDENTIAL

13.

Name & Signature: Jerry H. Dietz

Title: Production Engineer

Date: 04/02/97

(This space for state use only)

OPERATOR RIVER GAS CORPORATION

OPERATOR ACCT. NO. N 1605

ADDRESS _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D	10921	12151	43-007-30117	PINNACLE PEAK 19-171	C-SE	19	14S	9E	CARBON		*2-1-97
WELL 1 COMMENTS: *NEW PA- FERRON PA "C"/DRUNKARDS WASH UNIT EFF 2-1-97											
D	11256	12151	43-007-30284	BIRKINSHAW 19-108	NENE	19	14S	9E	CARBON		*2-1-97
WELL 2 COMMENTS:											
DISC	11964	12151	43-007-30300	TELONIS 19-150	NENW	19	14S	9E	CARBON		*2-1-97
WELL 3 COMMENTS:											
D	11952	12151	43-007-30299	TELONIS 19-151	SESW	19	14S	9E	CARBON		*2-1-97
WELL 4 COMMENTS:											
D	11256	12151	43-007-30301	TELONIS 30-156	NENE	30	14S	9E	CARBON		*2-1-97
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

LCORDOVA (DOGM)

Signature

ADMIN. ANALYST

7-2-97

Title

Date

Phone No. ()

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages: 860' FSL, 2000' FWL

QQ, Sec., T., R., M.: SE/SW SEC. 19, T14S, R09E, SLB & M

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Chemical/Flush Treatment</u> | |


Date of work completion November 04, 1998

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 11/04/98.



13.

Name & Signature: Jerry H. DietzTitle: Field Superintendent/EngineerDate: 11/10/98

(This space for state use only)

ORIGINAL

FORM 9

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages: 860' FSL, 2000' FWL

QQ, Sec., T., R., M.: SE/SW SEC.19, T14S, R09E, SLB & M

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ Chemical/Flush Treatment | |

Date of work completion 11/18/99

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 11/18/99.

RECEIVED

JAN 14 2000

DIVISION OF OIL, GAS & MINING

13.

Name & Signature: Rochelle Crabtree Rochelle Crabtree Title: Administrative Assistant - Production Date: 12/14/99

(This space for state use only)

DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

1305 South 100 East, Price, UT 84501 (435) 637-8876

4. Location of Well

Footages: 860' FSL, 2000' FWL

QQ, Sec., T., R., M.: SE/SW SEC.19, T14S, R09E, SLB & M

5. Lease Designation and Serial Number:

PATENTED

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- ☐ Abandon ☐ New Construction
☐ Repair Casing ☐ Pull or Alter Casing
☐ Change of Plans ☐ Recomplete
☐ Convert to Injection ☐ Reperforate
☐ Fracture Treat or Acidize ☐ Vent or Flare
☐ Multiple Completion ☐ Water Shut-Off
☐ Other _____

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- ☐ Abandon * ☐ New Construction
☐ Repair Casing ☐ Pull or Alter Casing
☐ Change of Plans ☐ Reperforate
☐ Convert to Injection ☐ Vent or Flare
☐ Fracture Treat or Acidize ☐ Water Shut-Off
☒ Other Chemical/Flush Treatment

Date of work completion 11/18/99

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 11/18/99.

13.

Name & Signature: Rochelle Crabtree

Rochelle Crabtree

Title: Administrative Assistant - Production

Date: 12/14/99

(This space for state use only)

RECEIVED

JAN 11 2000

WTC
1-19-00
RSM

DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☐ OTHER: ☒

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well
Footages: County:

860' FSL, 2000' FWL

Carbon County

QQ, Sec., T., R., M.: State:

SE/SW SEC. 19, T14S, R09E, SLB & M

Utah

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
| Approximate date work will start _____ | |

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ Chemical/Flush Treatment | |
| Date of work completion _____ 04/19/2000 | |

Report results of Multiple Completions and Recompletions to different reservoirs on WELL
COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 04/19/00.


RECEIVED

JUL 03 2000

DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature: Rochelle Crabtree



Title: Administrative Assistant

Date: 06/28/2000

(This space for state use only)

DIVISION OF OIL, GAS AND MINING

COPY

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well

Footages: County:

860' FSL, 2000' FWL

Carbon County

QQ, Sec., T., R., M.: State:

SE/SW SEC. 19, T14S, R09E, SLB & M

Utah

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
- Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ Chemical/Flush Treatment | |
| Date of work completion _____ 04/19/2000 | |

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 04/19/00.

RECEIVED

JUL 11 2000

DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature: Rochelle Crabtree

Rochelle Crabtree

Title: Administrative Assistant

Date: 06/28/2000

(This space for state use only)

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

WTC

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

River Gas Corporation

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well
Footages: County:

860' FSL, 2000' FWL

Carbon County

QQ, Sec., T., R., M.: State:

SE/SW SEC. 19, T14S, R09E, SLB & M

Utah

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
- Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|--|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ Chemical/Flush Treatment | |
- Date of work completion 11/19/2000

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4,000 gallons of low Ph fluid & 250 gallons of 7 1/2% HCL on 11/19/00.

13.

Name & Signature:

Rochelle Crabtree

Title:

Administrative Assistant

Date: 11/22/2000

(This space for state use only)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals

1 Type of Well: OIL ☐ GAS ☒ OTHER:

2 Name of Operator:

River Gas Corporation

3 Address and
Telephone Number:

6825 S. 5300 W. P.O. Box 851 Price, Utah 84501 (435) 613-9777

4 Location of Well
Footages:

QQ, Sec., T., R., M.:

SLB & M

5 Lease Designation and Serial Number:

6 If Indian, Allottee or Tribe Name:

7 Unit Agreement Name:

8 Well Name and Number:

9 API Well Number:

10 Field or Pool, or Wildcat:

County: Carbon County

State: Utah

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|---|---|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Change of Operator</u> | |
| Approximate date work will start _____ | |

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
| Date of work completion _____ | |

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form

* Must be accompanied by a cement verification report

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that River Gas Corporation is transferring ownership of the attached list of wells to Phillips Petroleum Company 9780 Mt. Pyramid Court, Englewood, CO 80112.

Please direct all correspondence and reports to: Phillips Petroleum Company P.O. Box 3368, Englewood, CO 80155-3368.

Effective 1/1/01

13

Name & Signature: Cal Hurtt



Title: Development Manager

Date: 12/19/00

(This space for state use only)

Drunkards Wash Total Well Count

(Through 2000 Drilling Season)

Well #	API #	Location	Section	Tship	Range
Utah 25-09-01	4300730130	1683 FSL, 877 FEL	25	14S	09E
Utah 36-01-02	4300730178	600 FNL, 620 FEL	36	14S	09E
Utah 31-03-03	4300730143	740 FNL, 1780 FWL	31	14S	10E
Utah 36-03-04	4300730142	822 FNL, 2176 FWL	36	14S	09E
Utah 36-09-05	4300730144	2050 FSL, 700 FEL	36	14S	09E
Utah 25-07-06	4300730156	2599 FNL, 1902 FEL	25	14S	09E
Utah 25-11-07	4300730157	1718 FSL, 2210 FWL	25	14S	09E
Utah 26-16-08	4300730181	800 FSL, 750 FEL	26	14S	09E
Utah 35-01-09	4300730180	650 FNL, 850 FEL	35	14S	09E
Utah 31-12-10	4300730183	1995 FSL, 745 FWL	31	14S	10E
Utah 36-11-11	4300730184	1837 FSL, 1903 FWL	36	14S	09E
Utah 19-14-12	4300730182	860 FSL, 1780 FWL	19	14S	10E
Utah 30-05-13	4300730179	1493 FNL, 728 FWL	30	14S	10E
Utah 30-13-14	4300730185	612 FSL, 670 FWL	30	14S	10E
Utah 24-01-15	4300730191	1320 FNL, 1320 FEL	24	14S	09E
Utah 24-03-16	4300730187	1310 FNL, 1525 FWL	24	14S	09E
Utah 24-12-17	4300730208	1320 FSL, 1320 FWL	24	14S	09E
Utah 24-16-18	4300730192	482 FSL, 940 FEL	24	14S	09E
Utah 23-02-19	4300730207	963 FNL, 1470 FEL	23	14S	09E
Utah 23-04-20	4300730194	1291 FNL, 1257 FWL	23	14S	09E
Utah 23-14-21	4300730200	739 FSL, 1716 FWL	23	14S	09E
Utah 23-09-22	4300730201	1320 FSL, 1320 FEL	23	14S	09E
Utah 26-01-23	4300730205	1320 FNL, 1320 FEL	26	14S	09E
Utah 26-06-24	4300730202	1480 FNL, 2000 FWL	26	14S	09E
Utah 26-11-25	4300730204	1500 FSL, 1500 FWL	26	14S	09E
Utah 35-03-26	4300730203	1085 FNL, 1805 FWL	35	14S	09E
Utah 35-10-27	4300730197	2567 FSL, 2151 FEL	35	14S	09E
Utah 35-13-28	4300730198	1236 FSL, 1152 FWL	35	14S	09E
Utah 27-08-29	4300730193	2134 FNL, 753 FEL	27	14S	09E
Utah 27-09-30	4300730186	1359 FSL, 707 FEL	27	14S	09E
Utah 34-01-31	4300730196	464 FNL, 540 FEL	34	14S	09E
Utah 34-09-32	4300730195	1938 FSL, 435 FEL	34	14S	09E
Utah 25-04-33	4300730206	920 FNL, 780 FWL	25	14S	09E
Prettyman 10-15-34	4300730211	842 FSL, 1419 FEL	10	14S	09E
Utah 10-36	4300730302	1213 FNL, 469 FEL	10	15S	09E
Utah 12-15-37	4300730210	1158 FSL, 1494 FEL	12	15S	09E
Utah 06-38	4300730217	899 FNL, 1730 FEL	6	15S	10E
Utah 06-39	4300730218	934 FNL, 819 FWL	6	15S	10E
Utah 06-40	4300730219	2180 FSL, 1780 FEL	6	15S	10E
Utah 06-41	4300730254	2124 FSL, 1054 FWL	6	15S	10E
Utah 01-42	4300730220	860 FNL, 1780 FEL	1	15S	09E
Utah 01-43	4300730221	808 FNL, 1451 FWL	1	15S	09E
Utah 01-44	4300730222	860 FSL, 1320 FWL	1	15S	09E
Utah 01-45	4300730223	1219 FSL, 1318 FEL	1	15S	09E
Utah 02-46	4300730224	860 FNL, 860 FEL	2	15S	09E

Utah 02-47	4300730225	1318 FNL, 1791 FWL	2	15S	09E
Utah 02-48	4300730226	1780 FSL, 860 FEL	2	15S	09E
Utah 02-49	4300730227	1320 FSL, 2080 FWL	2	15S	09E
Utah 11-50	4300730228	860 FNL, 860 FEL	11	15S	09E
Utah 11-51	4300730229	1000 FNL, 1900 FWL	11	15S	09E
Utah 11-52	4300730230	1400 FSL, 1100 FEL	11	15S	09E
Utah 11-53	4300730231	1780 FSL, 1800 FWL	11	15S	09E
Utah 12-54	4300730232	875 FNL, 1015 FWL	12	15S	09E
Utah 12-55	4300730233	1500 FNL, 1320 FEL	12	15S	09E
Utah 12-56	4300730234	1500 FSL, 1320 FWL	12	15S	09E
Utah 07-57	4300730235	1421 FNL, 1003 FWL	7	15S	10E
Utah 07-58	4300730236	1495 FNL, 2006 FEL	7	15S	10E
Utah 07-59	4300730237	1400 FSL, 2100 FEL	7	15S	10E
Utah 07-60	4300730238	954 FSL, 1256 FWL	7	15S	10E
Utah 14-61	4300730239	1386 FNL, 931 FEL	14	15S	09E
Utah 14-62	4300730240	980 FNL, 1385 FWL	14	15S	09E
Utah 14-63	4300730241	1780 FSL, 1320 FEL	14	15S	09E
Utah 14-64	4300730242	907 FSL, 1392 FWL	14	15S	09E
Utah 13-65	4300730243	1320 FNL, 1200 FEL	13	15S	09E
Utah 13-66	4300730244	1276 FNL, 1301 FWL	13	15S	09E
Utah 13-67	4300730245	1800 FSL, 1500 FEL	13	15S	09E
Utah 13-68	4300730246	1320 FSL, 1320 FWL	13	15S	09E
Utah 18-69	4300730427	1320 FNL, 1320 FWL	18	15S	10E
Utah 18-70	4300730248	1110 FNL, 2127 FEL	18	15S	10E
Utah 18-71	4300730249	1764 FSL, 1767 FEL	18	15S	10E
Utah 18-72	4300730250	2100 FSL, 1100 FWL	18	15S	10E
USA 19-73	4300730392	1664 FNL, 1412 FEL	19	15S	10E
Utah 14-74	4300730529	1365 FSL, 1988 FEL	14	14S	09E
Utah 14-75	4300730263	1036 FSL, 1622 FWL	14	14S	09E
Utah 22-76	4300730251	1320 FNL, 660 FEL	22	14S	09E
Utah 19-77	4300730252	1780 FSL, 660 FWL	19	14S	10E
Williams 30-78	4300730279	460 FNL, 660 FEL	30	14S	10E
Utah 31-79	4300730253	1780 FSL, 1780 FEL	31	14S	10E
Utah 24-80	4300730255	590 FNL, 1612 FWL	24	15S	09E
Utah 24-81	4300730256	1067 FNL, 1361 FEL	24	15S	09E
Utah 32-82	4300730257	600 FNL, 2028 FEL	32	15S	09E
Utah 21-83	4300730259	1780 FNL, 460 FWL	21	15S	10E
H&A 07-84	4300730258	1780 FSL, 1780 FWL	7	15S	09E
Utah 27-85	4300730261	2173 FNL, 676 FWL	27	14S	08E
Utah 24-86	4300730267	1788 FSL, 1677 FEL	24	15S	09E
Utah 24-87	4300730375	1780 FSL, 1333 FWL	24	15S	09E
USA 15-88	4300730264	872 FSL, 875 FEL	15	14S	09E
Telonis 22-89	4300730266	836 FNL, 1766 FWL	22	14S	09E
Telonis 21-90	4300730328	1272 FNL, 1188 FEL	21	14S	09E
USA 13-91	4300730568	1443 FSL, 1017 FWL	13	14S	09E
Utah 13-92	4300730439	624 FSL, 899 FEL	13	14S	09E
Utah 18-93	4300730587	556 FSL, 673 FWL	18	14S	10E
Utah 05-95	4300730269	640 FNL, 580 FWL	5	15S	10E
Utah 05-94	4300730270	1520 FSL, 1320 FWL	5	15S	10E

Utah 05-96	4300730271	1780 FSL, 2180 FEL	5	15S	10E
Utah 08-97	4300730272	1495 FNL, 1273 FEL	8	15S	10E
Utah 08-98X	4300730285	1341 FNL, 1319 FWL	8	15S	10E
Utah 08-99	4300730274	1500 FSL, 1120 FWL	8	15S	10E
Utah 08-100	4300730275	1500 FSL, 1400 FEL	8	15S	10E
Utah 17-101	4300730416	460 FNL, 2180 FEL	17	15S	10E
Utah 17-102	4300730277	810 FNL, 910 FWL	17	15S	10E
Utah 17-103	4300730278	1520 FSL, 1120 FWL	17	15S	10E
Powell 19-104	4300730282	1327 FNL, 1458 FWL	19	15S	10E
Powell 19-105	4300730283	1239 FSL, 1325 FWL	19	15S	10E
Utah 23-106	4300730280	150 FNL, 1400 FEL	23	15S	09E
Utah 23-107	4300730281	1252 FNL, 1255 FWL	23	15S	09E
Birkinshaw 19-108	4300730284	1305 FNL, 1192 FEL	19	15S	09E
Utah 36-109	4300730268	1800 FNL, 1800 FWL	36	15S	09E
Utah 16-110	4301530250	860 FSL, 2000 FWL	16	16S	09E
Fausett 09-111	4300730428	2215 FSL, 354 FEL	9	14S	09E
Fausett 10-112	4300730415	1590 FSL, 1342 FWL	10	14S	09E
Giacoletto 11-113	4300730335	500 FSL, 2070 FWL	11	14S	09E
Prettyman 11-114	4300730340	471 FSL, 1828 FEL	11	14S	09E
Giacoletto 13-120	4300730407	1200 FNL, 1219 FWL	13	14S	09E
Giacoletto 14-121	4300730345	1200 FNL, 1060 FEL	14	14S	09E
USA 14-122	4300730404	1500 FNL, 1039 FWL	14	14S	09E
Utah 30-125	4300730262	630 FSL, 1627 FEL	30	14S	10E
Utah 31-126	4300730305	1954 FNL, 1291 FEL	31	14S	10E
Robertson 32-127	4300730374	646 FNL, 349 FWL	32	14S	10E
Utah 04-129	4300730309	700 FWL, 1850 FSL	4	15S	10E
Utah 04-130	4300730519	860 FSL, 2150 FEL	4	15S	10E
Sampinos 16-131	4300730610	1201 FNL, 1016 FWL	16	15S	10E
Jensen 16-132	4300730588	1206 FSL, 1240 FWL	16	15S	10E
LDS 17-133	4300730296	1500 FSL, 1700 FEL	17	15S	10E
Utah 25-134	4300730399	745 FNL, 1482 FWL	25	15S	09E
Utah 36-135	4300730341	850 FNL, 850 FEL	36	15S	09E
Utah 36-136	4300730343	465 FSL, 660 FWL	36	15S	09E
Utah 36-137	4300730342	2180 FSL, 1800 FEL	36	15S	09E
Utah 02-138	4301530288	638 FNL, 1865 FEL	2	16S	09E
Utah 02-139	4301530289	1890 FNL, 850 FWL	2	16S	09E
Utah 02-140	4301530290	850 FSL, 1800 FWL	2	16S	09E
Utah 02-141	4301530291	1800 FSL, 1950 FEL	2	16S	09E
Telonis 15-142	4300730319	1320 FSL, 860 FWL	15	14S	09E
Fausett 16-143	4300730320	1320 FNL, 1320 FEL	16	14S	09E
Fausett 16-144	4300730321	1800 FNL, 860 FWL	16	14S	09E
Telonis 16-145	4300730322	1320 FSL, 1320 FWL	16	14S	09E
Paar 16-146	4300730323	843 FSL, 2157 FEL	16	14S	09E
Christiansen 17-147	4300730324	860 FSL, 1800 FWL	17	14S	09E
Christiansen 17-148	4300730325	1250 FSL, 1100 FEL	17	14S	09E
Birkinshaw 18-149	4300730326	500 FSL, 500 FEL	18	14S	09E
Telonis 19-150	4300730300	751 FNL, 1840 FWL	19	14S	09E
Telonis 19-151	4300730299	860 FSL, 2000 FWL	19	14S	09E
Telonis 20-152	4300730327	1320 FNL, 1900 FEL	20	14S	09E

Telonis 21-153	4300730329	860 FNL, 1800 FWL	21	14S	09E
Telonis 29-154	4300730330	800 FNL, 1500 FWL	29	14S	09E
Telonis 29-155	4300730331	1800 FSL, 1250 FWL	29	14S	09E
Telonis 30-156	4300730301	910 FNL, 868 FEL	30	14S	09E
Telonis 30-157	4300730332	1800 FSL, 580 FEL	30	14S	09E
Utah 32-158	4300730333	1038 FNL, 1768 FEL	32	14S	09E
Utah 32-159	4300730334	2011 FNL, 1426 FWL	32	14S	09E
Utah 32-160	4300730398	1500 FSL, 1780 FWL	32	14S	09E
Utah 32-161	4300730336	415 FSL, 1408 FEL	32	14S	09E
Utah 36-162	4300730315	2053 FNL, 685 FEL	36	14S	08E
Utah 36-163	4300730316	860 FNL, 2100 FWL	36	14S	08E
Utah 36-164	4300730317	1070 FSL, 2000 FWL	36	14S	08E
Utah 36-165	4300730318	1100 FSL, 1500 FEL	36	14S	08E
Utah 02-166	4300730337	1219 FNL, 1738 FEL	2	15S	08E
Utah 02-167	4300730338	660 FNL, 2075 FWL	2	15S	08E
Utah 02-168	4300730339	1800 FSL, 2100 FWL	2	15S	08E
Utah 02-169	4300730308	754 FSL, 1000 FEL	2	15S	08E
Seamons 32-170	4300730291	700 FNL, 500 FWL	32	13S	09E
Pinnacle Peak 19-171	4300730117	1320 FSL, 1320 FEL	19	14S	09E
Telonis 20-172	4300730107	1980 FSL, 660 FEL	20	14S	09E
Powell 30-173	4300730346	1200 FNL, 1200 FWL	30	15S	10E
Stella-Hamaker 10-174	4300730116	852 FNL, 1971 FWL	10	15S	08E
Utah 31-175	4301530317	897 FNL, 1731 FWL	31	16S	09E
USA 15-176	4300730450	2588 FNL, 1155 FEL	15	14S	09E
USA 09-178	4300730419	428 FSL, 2527 FWL	9	14S	09E
USA 17-180A	4300730622	2563 FNL, 1383 FWL	17	14S	09E
USA 18-182	4300730417	1068 FSL, 1972 FWL	18	14S	09E
USA 24-183	4300730469	828 FNL, 624 FEL	24	14S	08E
Utah 27-187	4300730395	1400 FNL, 1400 FWL	27	14S	09E
Utah 27-188	4300730292	477 FSL, 518 FWL	27	14S	09E
Utah 28-189	4300730396	1707 FNL, 868 FEL	28	14S	09E
Utah 28-190	4300730397	1969 FNL, 1324 FWL	28	14S	09E
Utah 28-191	4300730293	693 FSL, 1623 FWL	28	14S	09E
Utah 28-192	4300730294	1407 FNL, 1940 FWL	28	14S	09E
Utah 29-193	4300730405	693 FNL, 1029 FEL	29	14S	09E
Utah 29-194	4300730427	951 FSL, 370 FEL	29	14S	09E
Utah 30-195	4300730265	1407 FNL, 1940 FWL	30	14S	09E
Utah 30-196	4300730344	1056 FSL, 1984 FWL	30	14S	09E
Kakatsidas 31-197	4300730420	619 FNL, 1361 FEL	31	14S	09E
Utah 31-198	4300730406	1403 FNL, 1540 FWL	31	14S	09E
Utah 31-199	4300730480	1125 FSL, 928 FWL	31	14S	09E
Utah 31-200	4300730385	2118 FSL, 549 FEL	31	14S	09E
Utah 33-201	4300730386	317 FNL, 1815 FEL	33	14S	09E
Utah 33-202	4300730387	1939 FNL, 1593 FWL	33	14S	09E
Utah 33-203	4300730388	1373 FSL, 1140 FWL	33	14S	09E
Utah 33-204	4300730389	2024 FSL, 1525 FEL	33	14S	09E
Utah 05-205	4300730384	1485 FNL, 760 FEL	5	15S	09E
Utah 05-206	4300730390	1300 FNL, 1352 FWL	5	15S	09E
Utah 06-207	4300730391	825 FNL, 928 FEL	6	15S	08E

Utah 01-208	4300730464	1246 FNL, 1831 FEL	1	15S	09E
Utah 01-209	4300730467	2271 FSL, 1251 FEL	1	15S	09E
Utah 34-211	4300730114	1181 FSL, 1005 FWL	34	14S	09E
Utah 03-212	4300730468	1187 FNL, 1761 FEL	3	15S	09E
Utah 03-213	4300730381	1466 FNL, 2041 FWL	3	15S	09E
Utah 03-214	4300730295	813 FSL, 966 FWL	3	15S	09E
Utah 03-215	4300730297	988 FSL, 604 FEL	3	15S	09E
Utah 04-216	4300730382	1610 FNL, 810 FEL	4	15S	09E
Utah 04-217	4300730383	1343 FNL, 1119 FWL	4	15S	09E
Utah 04-218	4300730418	1084 FSL, 509 FEL	4	15S	09E
Utah 10-219	4300730298	805 FNL, 756 FWL	10	15S	09E
Utah 10-220	4300730432	474 FSL, 372 FWL	10	15S	09E
Utah 10-221	4300730303	1602 FSL, 2032 FEL	10	15S	09E
USA 19-222	4300730393	1574 FSL, 1647 FEL	19	15S	10E
Utah 06-223	4300730430	1636 FSL, 1085 FEL	6	15S	09E
Utah 05-225	4300730440	421 FSL, 498 FEL	5	15S	09E
Utah 04-226	4300730408	571 FSL, 2331 FWL	4	15S	09E
Utah 09-227	4300730449	652 FNL, 1331 FEL	9	15S	09E
Utah 09-228	4300730413	1444 FNL, 1520 FWL	9	15S	09E
Utah 09-229	4300730414	1595 FSL, 2051 FWL	9	15S	09E
Utah 08-230	4300730410	2003 FNL, 960 FEL	8	15S	09E
Utah 08-231	4300730411	1321 FNL, 1738 FWL	8	15S	09E
H&A 08-232	4300730412	1135 FSL, 1497 FWL	8	15S	09E
Utah 08-233	4300730488	468 FSL, 2030 FEL	8	15S	09E
Utah 07-234	4300730409	1876 FNL, 875 FEL	7	15S	09E
Utah 07-235	4300730421	2098 FSL, 510 FEL	7	15S	09E
H&A 18-236	4300730459	896 FNL, 1511 FEL	18	15S	09E
Utah 18-237	4300730485	1867 FSL, 1920 FEL	18	15S	09E
Utah 17-238	4300730510	677 FNL, 1321 FEL	17	15S	09E
Utah 17-239	4300730511	1383 FNL, 1576 FWL	17	15S	09E
Utah 17-240	4300730512	1977 FSL, 1394 FWL	17	15S	09E
Utah 17-241	4300730513	1668 FSL, 2222 FEL	17	15S	08E
USA 12-242	4300730482	1738 FNL, 1505 FEL	12	15S	08E
USA 12-243	4300730486	950 FNL, 232 FWL	12	15S	08E
USA 11-244	4300730463	1151 FNL, 1690 FEL	11	15S	08E
USA 11-245	4300730462	1234 FNL, 1743 FWL	11	15S	08E
Utah 01-246	4300730566	1619 FNL, 170 FWL	1	15S	09E
Utah 01-247	4300730465	594 FSL, 266 FWL	1	15S	08E
USA 35-248	4300730582	828 FSL, 1245 FEL	35	15S	09E
USA 30-251	4300730403	1169 FSL, 913 FWL	30	15S	10E
Utah 25-252	4300730400	1937 FNL, 1416 FEL	25	15S	09E
Utah 25-253	4300730401	809 FSL, 899 FWL	25	15S	09E
Utah 25-254	4300730402	1787 FSL, 1954 FEL	25	15S	09E
Utah 26-255	4300730446	1209 FNL, 755 FEL	26	15S	09E
Utah 26-256	4300730445	1274 FSL, 1351 FWL	26	15S	09E
Utah 26-257	4300730444	1263 FSL, 1368 FEL	26	15S	09E
Utah 34-258	4300730552	1198 FNL, 1880 FEL	34	15S	09E
Utah 34-259	4300730456	1662 FSL, 2046 FEL	34	15S	09E
Utah 35-260	4300730447	814 FNL, 1900 FEL	35	15S	09E

Utah 35-261	4300730442	615 FNL, 818 FWL	35	15S	09E
Utah 35-262	4300730443	1657 FSL, 1850 FWL	35	15S	09E
Utah 35-263	4300730441	1785 FSL, 946 FEL	35	15S	09E
USA 01-264	4301530336	1055 FNL, 441 FWL	1	16S	09E
USA 01-265	4301530337	1739 FSL, 636 FWL	1	16S	09E
Woolstenhulme 05-266	4300730481	1389 FNL, 2179 FEL	5	15S	10E
Utah 26-267	4300730514	1836 FNL, 2130 FWL	26	15S	09E
Utah 27-268	4300730457	1125 FSL, 1682 FWL	26	15S	09E
Utah 27-269	4300730458	1661 FSL, 795 FEL	27	15S	09E
Utah 34-270	4300730347	774 FNL, 756 FWL	34	15S	09E
Utah 34-271	4300730496	1693 FSL, 965 FWL	34	15S	09E
Utah 33-272	4300730502	694 FNL, 2034 FEL	33	15S	09E
Utah 33-273	4300730493	1922 FNL, 328 FWL	33	15S	09E
Utah 33-274	4300730494	1098 FSL, 1673 FWL	33	15S	09E
Utah 33-275	4300730495	1401 FSL, 1029 FEL	33	15S	09E
Utah 32-276	4300730483	738 FL, 1318 FWL	32	15S	09E
Utah 32-277	4300730484	1613 FSL, 1931 FEL	32	15S	09E
Utah 05-278	4301530278	1665 FNL, 1923 FEL	5	15S	09E
Utah 04-279	4301530340	1020 FNL, 1757 FEL	4	16S	09E
Utah 04-280	4301530341	2087 FNL, 1627 FWL	4	16S	09E
Utah 04-281	4301530399	999 FSL, 896 FWL	4	16S	09E
Utah 04-282	4301530342	2188 FSL, 911 FEL	4	16S	09E
Utah 03-283	4301530349	461 FNL, 1772 FEL	3	16S	09E
Utah 03-284	4301530346	1218 FNL, 753 FWL	3	16S	09E
Utah 03-285	4301530345	1917 FSL, 546 FWL	3	16S	09E
Utah 03-286	4301530344	1690 FSL, 1958 FEL	3	16S	09E
USA 20-287	4300730448	1395 FNL, 979 FWL	20	15S	10E
USA 20-288	4300730451	1566 FSL, 1125 FWL	20	15S	10E
USA 30-289	4300730452	1184 FNL, 1353 FEL	30	15S	10E
USA 30-290	4300730453	1080 FSL, 1508 FEL	30	14S	10E
USA 11-291	4300730501	2609 FNL, 1994 FEL	11	14S	09E
USA 11-292	4300730500	2483 FNL, 664 FWL	11	14S	09E
USA 10-293	4300730498	2011 FNL, 847 FEL	10	14S	09E
USA 10-294	4300730497	1750 FNL, 769 FWL	10	14S	09E
USA 09-295	4300730499	696 FNL, 1198 FEL	9	14S	09E
Fausett 09-296	4300730455	2072 FNL, 798 FWL	9	14S	09E
USA 08-297	4300730491	789 FNL, 958 FEL	8	14S	09E
Ritzakis 08-298	4300730475	798 FNL, 2018 FWL	8	14S	09E
Ritzakis 08-299	4300730479	2187 FSL, 1885 FWL	8	14S	09E
Ritzakis 08-300	4300730476	2485 FSL, 1522 FEL	8	14S	09E
USA 04-302	4300730489	1076 FSL, 1860 FWL	4	14S	09E
USA 04-303	4300730490	597 FSL, 984 FEL	4	14S	09E
Ritzakis 05-304	4300730473	688 FSL, 1888 FWL	5	14S	09E
Ritzakis 05-305	4300730474	1104 FSL, 1196 FEL	5	14S	09E
USA 06-306	4300730492	399 FSL, 306 FEL	6	14S	09E
Helper 07-307	4300730487	672 FNL, 962 FWL	7	15S	09E
USA 31-310	4300730516	624 FNL, 1238 FWL	31	15S	10E
USA 31-311	4300730517	1934 FSL, 973 FWL	31	15S	10E
USA 01-312	4301530350	1453 FNL, 1881 FEL	1	16S	09E

USA 11-314	4301530353	1262 FNL, 1136 FWL	11	16S	09E
USA 10-317	4301530352	1221 FNL, 1104 FEL	10	16S	09E
USA 12-322	4300730576	492 FSL, 495 FWL	10	15S	08E
USA 12-323	4300730577	540 FSL, 784 FEL	12	15S	08E
USA 11-324	4300730575	732 FSL, 1763 FEL	11	15S	08E
USA 14-325	4300730579	890 FNL, 1469 FEL	14	15S	08E
USA 13-326	4300730581	1065 FNL, 1563 FEL	13	15S	08E
USA 13-327	4300730578	1092 FNL, 941 FWL	13	15S	08E
USA 35-328	4300730583	964 FSL, 1999 FWL	35	14S	08E
Utah 09-329	4300730561	884 FSL, 1324 FEL	9	15S	09E
Utah 06-330	4300730562	938 FNL, 1564 FWL	6	15S	09E
Utah 20-333	4300730669	1069 FNL, 1460 FEL	20	15S	09E
Utah 20-334	4300730625	932 FNL, 1655 FWL	20	15S	09E
Utah 20-335	4300730626	2152 FSL, 1716 FWL	20	15S	09E
Utah 19-337	4300730623	926 FNL, 768 FEL	19	15S	09E
Utah 19-338	4300730624	1789 FSL, 1426 FEL	19	15S	09E
Utah 05-343	4301530400	1795 FNL, 1431 FWL	5	16S	09E
Utah 05-344	4301530401	1316 FSL, 1343 FWL	5	16S	09E
Utah 05-345	4301530402	908 FSL, 1449 FEL	5	16S	09E
Utah 08-354	4301530395	1073 FNL, 1914 FEL	8	16S	09E
Utah 08-355	4301530378	1673 FNL, 850 FWL	8	16S	09E
Utah 08-356	4301530379	1701 FSL, 799 FWL	8	16S	09E
Utah 08-357	4301530380	1722 FSL, 1599 FEL	8	16S	09E
Utah 09-358	4301530300	2097 FNL, 1634 FEL	9	16S	09E
Utah 09-359	4301530407	1787 FNL, 871 FWL	9	16S	09E
Utah 09-360	4301530397	1323 FSL, 881 FWL	9	16S	09E
Utah 09-361	4301530408	1564 FSL, 1998 FEL	9	16S	09E
USA 10-362	4301530424	2225 FNL, 494 FWL	10	16S	09E
USA 14-386	4300730634	592 FNL, 2236 FWL	14	15S	08E
USA 24-387	4300730612	1243 FSL, 2306 FWL	10	14S	08E
USA 24-388	4300730613	1177 FSL, 612 FEL	24	14S	08E
Utah 25-389	4300730600	737 FNL, 1976 FEL	25	14S	08E
Utah 25-390	4300730599	1540 FNL, 1354 FWL	25	14S	08E
Utah 25-391A	4300730658	1264 FSL, 1573 FWL	25	14S	08E
Utah 25-392	4300730602	2045 FSL, 1718 FEL	25	14S	09E
USA 26-393	4300730614	1666 FNL, 874 FEL	26	14S	08E
USA 26-394	4300730615	856 FSL, 2377 FWL	26	14S	08E
USA 26-395	4300730616	1927 FSL, 830 FEL	26	14S	08E
USA 35-396	4300730584	616 FNL, 1896 FEL	35	14S	08E
USA 35-397	4300730585	949 FNL, 1264 FWL	35	14S	08E
USA 20-398	4300730590	1374 FNL, 1387 FEL	20	15S	10E
USA 20-399	4300730591	1445 FSL, 1128 FEL	20	15S	10E
Utah 09-412	4300730580	1102 FSL, 1018 FWL	9	15S	10E
Utah 09-413	4300730605	1007 FNL, 1197 FWL	9	15S	10E
Utah 10-415	4301530391	1090 FNL, 557 FEL	10	16S	08E
USA 14-416	4300730646	892 FSL, 1311 FWL	14	15S	08E
USA 14-417	4300730647	1741 FSL, 1054 FEL	14	15S	09E
USA 13-418	4300730645	737 FSL, 793 FEL	13	15S	08E
USA 13-419	4300730631	2617 FSL, 1958 FEL	13	15S	08E

USA 23-423	4300730611	408 FSL, 924 FEL	23	14S	08E
USA 34-434	4300730621	1342 FSL, 922 FEL	34	14S	08E
USA 18-435	4300730619	1868 FNL, 793 FWL	18	14S	09E
USA 07-436	4300730630	3121 FNL, 871 FEL	7	14S	09E
USA 03-442	4300730710	899 FNL, 553 FEL	3	15S	08E
USA 24-443	4300730651	1780 FNL, 2247 FEL	24	15S	08E
USA 24-444	4300730648	1338 FNL, 1153 FWL	24	15S	08E
USA 24-446	4300730708	1377 FNL, 2340 FWL	24	14S	08E
USA 13-447	4300730707	2044 FSL, 741 FEL	13	14S	08E
USA 24-448	4300730652	2146 FSL, 2021 FEL	24	15S	08E
Utah 34-456	4300730713	755 FNL, 1377 FEL	34	14S	08E
USA 13-470	4300730706	1741 FNL, 554 FEL	13	14S	08E
Utah 06-483	4300730716	2456 FSL, 988 FWL	6	15S	09E
American Quasar D1	4300730040	999 FSL, 1552 FWL	31	14S	10E
Arcadia-Telonis D2	4300730093	465 FSL, 560 FEL	19	14S	09E
Utah D3	4300730290	1600 FSL, 1530 FEL	18	15S	10E
Utah D4	4300730314	600 FNL, 500 FWL	24	14S	09E
Fausett D5	4300730351	467 FNL, 1461 FWL	16	14S	09E
Drew D6	4300730100	1300 FSL, 830 FWL	34	14S	09E
Utah D7	4301530338	1371 FSL, 1530 FEL	2	14S	09E
Utah D8	4300730431	1342 FNL, 350 FWL	12	15S	09E
Utah D9	4300730438	1960 FNL, 1487 FWL	32	14S	09E
RGC D10	4300730520	162 FNL, 1557 FEL	28	15S	09E
USA D11	4301530356	1513 FNL, 2437 FEL	13	16S	09E
Sampinos D14	4300730567	1695 FSL, 2133 FEL	16	15S	10E

LAW OFFICES
PRUITT, GUSHEE & BACHTELL

THOMAS W BACHTELL
A JOHN DAVIS, III
JOHN W ANDERSON
FREDERICK M MACDONALD
GEORGE S YOUNG
ANGELA L FRANKLIN
JOHN S FLITTON
MICHAEL S JOHNSON
WILLIAM E WARD

SUITE 1850 BENEFICIAL LIFE TOWER
SALT LAKE CITY, UTAH 84111-1495
(801) 531-8446
TELECOPIER (801) 531-8468
E-MAIL: mail@pgblaw.com

SENIOR COUNSEL:
ROBERT G PRUITT, JR
OLIVER W GUSHEE, JR

OF COUNSEL:
ROBERT G PRUITT, III
BRENT A BOHMAN

January 29, 2001

HAND DELIVERED

Mr. Jim Thompson
Utah Division of Oil, Gas & Mining
1594 W. North Temple
Salt Lake City, UT 84116

Re: River Gas/Phillips Merger

Dear Mr. Thompson:

As you may know, River Gas Corporation ("RGC") merged into Phillips Petroleum Company ("Phillips") effective December 31, 2000 at 11:59 p.m. I have enclosed a Certificate of Articles of Merger issued by the Utah Department of Commerce and, although duplicative, a sundry notice formally evidencing the merger for your records, and a list of all wells, including injection wells, formerly operated by RGC.

Please change the Division's records to reflect the change in operator of these wells from RGC to Phillips. All operational questions should be directed to Phillips at the following address:


Phillips Petroleum Company
Attn: Billy Stacy, Operations Manager
P.O. Box 3368
Englewood, CO 80155-3368
Telephone No.: (720) 344-4984

Phillips currently has a bond on file with the Division (a copy of which is enclosed for your reference), but I understand an \$80,000 Letter of Credit is in the process of being substituted.

Mr. Jim Thompson
January 29, 2001
Page 2

On behalf of Phillips, I thank you for your cooperation. Should you have any further questions or concerns, please do not hesitate to contact me.

Yours very truly,

A handwritten signature in cursive script, appearing to read "Frederick M. MacDonald", written in dark ink.

Frederick M. MacDonald

FMM:cs
2078.16
Enclosures
cc: W. H. Rainbolt
Billy Stacy



Utah Department of Commerce
Division of Corporations & Commercial Code
160 East 300 South, 2nd Floor, Box 146705
Salt Lake City, UT 84114-6705
Phone: (801) 530-4849
Toll Free: (877) 526-3994 Utah Residents
Fax: (801) 530-6438
Web site: <http://www.commerce.state.ut.us>


Registration Number: 562960-0143
Business Name: PHILLIPS PETROLEUM COMPANY
Registered Date: JUNE 14, 1946

01/12/01

CERTIFICATE OF ARTICLES OF MERGER

THE UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE ("DIVISION") HEREBY CERTIFIES THAT

ARTICLES OF MERGER WERE FILED WITH THIS OFFICE ON DECEMBER 12, 2000 MERGING RIVER GAS CORPORATION, A CORPORATION OF THE STATE OF ALABAMA, INTO PHILLIPS PETROLEUM COMPANY, THE SURVIVING CORPORATION WHICH IS OF THE STATE OF DELAWARE, AS APPEARS OF RECORD IN THE OFFICE OF THE DIVISION.



Ric Campbell

Ric Campbell
Acting Division Director of
Corporations and Commercial Code

Dept. of Professional Licensing
(801)530-6628

Real Estate
(801)530-6747

Public Utilities
(801)530-6651

Securities
(801)530-6600

Consumer Protection
(801)530-6601

00171157

State of Delaware

PAGE 1

Office of the Secretary of State

ts

12/13/2000
Receipt Number: 188532
Amount Paid: \$145.00

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"RIVER GAS CORPORATION", A ALABAMA CORPORATION,
WITH AND INTO "PHILLIPS PETROLEUM COMPANY" UNDER THE NAME OF "PHILLIPS PETROLEUM COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE SIXTH DAY OF DECEMBER, A.D. 2000, AT 10 O'CLOCK A.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF OWNERSHIP IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2000, AT 11:59 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.

12-12-00P04:02 RCVD

TAF
FILED

DEC 12 2000

Utah Div. Of Corp. & Comm. Code

State of Utah
Department of Commerce
Division of Corporations and Commercial Code
I hereby certify that the foregoing has been filed
and approved on this 12 day of Dec 20 2000
in the office of this Division and hereby issue
this Certificate thereof.

Examiner



RIC CAMPBELL
ACTING DIRECTOR



Edward J. Freel, Secretary of State
AUTHENTICATION: 0837738

0064324 8100M

001609453

DATE: 12-07-00

CERTIFICATE OF OWNERSHIP AND MERGER

OF

RIVER GAS CORPORATION

(an Alabama corporation)

into

Phillips Petroleum Company

(a Delaware corporation)

It is hereby certified that:

1. Phillips Petroleum Company [hereinafter sometimes referred to as the "Corporation"] is a business corporation of the State of Delaware.

2. The Corporation is the owner of all of the outstanding shares of each class of stock of River Gas Corporation, which is a business corporation of the State of Alabama.

3. The laws of the jurisdiction of organization of River Gas Corporation permit the merger of a business corporation of that jurisdiction with a business corporation of another jurisdiction.

4. The Corporation hereby merges River Gas Corporation into the Corporation.

5. The following is a copy of the resolutions adopted on November 21, 2000 by the Board of Directors of the Corporation to merge the said River Gas Corporation into the Corporation:

"1. Phillips Petroleum Company, which is a business corporation of the State of Delaware and is the owner of all of the outstanding shares of River Gas Corporation, which is a business corporation of the State of Alabama, hereby merges River Gas Corporation into Phillips Petroleum Company pursuant to the provisions of the Alabama Business Corporation Act and pursuant to the

12-12-00P04:02 RCVD

provisions of Section 253 of the General Corporation Law of Delaware.

"2. The separate existence of River Gas Corporation shall cease at the effective time and date of the merger pursuant to the provisions of the Alabama Business Corporation Act; and Phillips Petroleum Company shall continue its existence as the surviving corporation pursuant to the provisions of Section 253 of the General Corporation Law of Delaware.

"3. The Articles of Incorporation of Phillips Petroleum Company are not amended in any respect by this Plan of Merger.

"4. The issued shares of River Gas Corporation shall not be converted or exchanged in any manner, but each said share which is issued immediately prior to the effective time and date of the merger shall be surrendered and extinguished.

"5. Each share of Phillips Petroleum Company outstanding immediately prior to the effective time and date of the merger is to be an identical outstanding share of Phillips Petroleum Company at the effective time and date of the merger.

"6. No shares of Phillips Petroleum Company and no shares, securities, or obligations convertible into such shares are to be issued or delivered under this Plan of Merger.

"7. The Board of Directors and the proper officers of Phillips Petroleum Company are hereby authorized, empowered, and directed to do any and all acts and things, and to make, execute, deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of this Plan of Merger or of the merger herein provided for. "

" This Company approves that the effective time and date of the merger herein provided for in the State of Alabama shall be 11:59 p.m. on December 31, 2000."

"Any Vice President, the Treasurer, any Assistant Treasurer, the Secretary, any Assistant Secretary, and each of them severally, be and hereby is authorized to make, execute,

deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of these resolutions and to do or cause to be done all such acts as are necessary to give effect to the purpose and intent of the approval herein set forth."

6. This Certificate of Ownership and Merger shall be effective at 11:59 p.m. on December 31, 2000.

Executed on November 27, 2000

Phillips Petroleum Company

N. A. Loftis
N. A. Loftis, Assistant Secretary



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

In Reply Refer To:
3106
UTU-47157 et al
(UT-932)

JAN 30 2001

NOTICE

Phillips Petroleum Company : Oil and Gas
Attn: W. H. Rainbolt, Rocky Mtn. Region-Land :
Box 1967 :
Houston, TX 77251-1967 :

Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of River Gas Corporation into Phillips Petroleum Company with Phillips Petroleum Company being the surviving entity.

The oil and gas lease files and rights-of-way files identified on the enclosed exhibit have been noted as to the merger. The exhibit is the list supplied by the representative of the companies, and verified by our computerized records. We have not adjudicated the case files to determine if the entity affected by the merger holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

By recognition of the merger the obligor is automatically changed by operation of law from River Gas Corporation to Phillips Petroleum Company on Letter of Credit No. P-207337 (BLM Bond No. UT0829). A rider to BLM Bond No. ES0048 assuming any and all liabilities of BLM Bond No. UT0829 must be submitted for approval to the Eastern States Office, Attn: Bill Forbes, 7450 Boston Boulevard, Springfield, VA 22153. After the rider is approved, the Letter of Credit will be returned to the financial institution that issued it.

ROBERT LOPEZ

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure
Exhibit of Leases

RECEIVED

JAN 30 2001

DIVISION OF
OIL, GAS AND MINERAL

cc: Moab Field Office
Vernal Field Office
Price Field Office
MMS—Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114
The Chase Manhattan Bank, Attn: Standby Letter of Credit Dept., 4 Chase Metrotech Center, 8th Floor
Brooklyn, NY 11245
Teresa Thompson (UT-931)
LaVerne Steah (UT-942)
Pruitt, Gushee & Bachtell, Attn: Frederick M. MacDonald, Suite 1850 Beneficial Life Tower,
Salt Lake City, Utah 84111-1495
BLM, Eastern States Office (Attn: Bill Forbes)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS ✓
2. CDW✓		5-SJ
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X MergerThe operator of the well(s) listed below has changed, effective: **12-31-2000**

FROM: (Old Operator):
RIVER GAS CORPORATION
Address: 6825 S. 5300 W. P. O. BOX 851
PRICE, UT 84501
Phone: 1-(435)-613-9777
Account N1605

TO: (New Operator):
PHILLIPS PETROLEUM COMPANY
Address: P. O. BOX 3368
ENGLEWOOD, CO 80155-3368
Phone: 1-(720)-344-4984
Account N1475

CA No.

Unit: **DRUNKARDS WASH**

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
PINNACLE PEAK 19-171	43-007-30117	11256	19-14S-09E	FEE	GW	P
BIRKINSHAW 19-108	43-007-30284	11256	19-14S-09E	FEE	GW	P
TELONIS 19-150	43-007-30300	11256	19-14S-09E	FEE	GW	P
TELONIS 19-151	43-007-30299	11256	19-14S-09E	FEE	GW	P
TELONIS 20-152	43-007-30327	11256	20-14S-09E	FEE	GW	P
TELONIS 21-90	43-007-30328	11256	21-14S-09E	FEE	GW	P
TELONIS 21-153	43-007-30329	11256	21-14S-09E	FEE	GW	P
TELONIS 22-89	43-007-30266	11256	22-14S-09E	FEE	GW	P
TELONIS 29-154	43-007-30330	11256	29-14S-09E	FEE	GW	P
TELONIS 29-155	43-007-30331	11256	29-14S-09E	FEE	GW	P
TELONIS 30-156	43-007-30301	11256	30-14S-09E	FEE	GW	P
TELONIS 30-157	43-007-30332	11256	30-14S-09E	FEE	GW	P
WILLIAMS 30-78	43-007-30279	11256	30-14S-10E	FEE	GW	P
ROBERTSON 32-127	43-007-30374	11256	32-14S-10E	FEE	GW	P
HELPER & ASSOCIATES 7-84	43-007-30258	11256	07-15S-09E	FEE	GW	P
HELPER & ASSOCIATES 07-307	43-007-30487	11256	07-15S-09E	FEE	GW	P
HELPER & ASSOCIATES 08-232	43-007-30412	11256	08-15S-09E	FEE	GW	P
HELPER & ASSOCIATES 18-236	43-007-30459	11256	18-15S-09E	FEE	GW	P
WOOLSTENHULME 05-266	43-007-30481	11256	05-15S-10E	FEE	GW	P
JENSEN 16-132	43-007-30588	11256	16-15S-10E	FEE	GW	P

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 01/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 02/15/2001

4. Is the new operator registered in the State of Utah: YES Business Number: 562960-0143
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/30/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/05/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/05/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: P-207328
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 05/08/2001

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3-23-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☐ OTHER: ☒

2. Name of Operator:

Phillips Petroleum Company

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well

Footages:

860' FSL, 2000' FWL

QQ, Sec., T., R., M.:

SE/SW, SEC. 19, T14S, R09E, SLB & M

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

County:

Carbon County

State:

Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**NOTICE OF INTENT**
(Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
- Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Chemical/Flush Treatment</u> | |
- Date of work completion 06/18/2001

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4,000 gallons of low Ph fluid & 250 gallons of 7 1/2% HCL on 06/18/01.

RECEIVED

JUL 02 2001

DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature: Rochelle Crabtree

Rochelle Crabtree

Title:

Administrative Assistant

Date: 06/25/2001

(This space for state use only)

DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL ☐ GAS ☐ OTHER ☒

2. Name of Operator:

Phillips Petroleum Company

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well
Footages:

860' FSL, 2000' FWL

QQ, Sec., T., R., M.:

SE/SW, Sec.19, T14S, R09E, SLB&M

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

County: Carbon County

State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**NOTICE OF INTENT**
(Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
- Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- | | |
|---|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>Chemical/Flush Treatment</u> | |
- Date of work completion 02/12/02

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid & 250 gallons of 15% HCL on 02/12/02.

RECEIVED

FEB 23 2002

DIVISION OF
OIL, GAS AND MINING

13.

Name & Signature: Lynnette AllredTitle: Administrative AssistantDate: 02/19/02

(This space for state use only)



Re: Notice of Address Change, Merger and Name Change
Address Change effective **December 2, 2002**
Merger and Name Change effective **December 31, 2002**

Divisions of Oil, Gas, and Mining
Attn: Mr. John Baza
1594 West North Temple,
Suite 1210, P. O. Box 145801
Salt Lake City, UT 84114-5801

Gentlemen:

1. Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.

2. On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

U.S. Mail Address:

ConocoPhillips Company
P.O. Box 2197
Houston, Texas 77252
Attn: Chief Landman,
San Juan/Rockies

Physical Address & Overnight Delivery:

ConocoPhillips Company
550 Westlake Park Blvd.
Three Westlake Park
3WL, Room WL 9000
Houston, Texas 77079
Attn: Chief Landman,
San Juan/Rockies

All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

Attn: Chief Landman,
San Juan/Rockies

Fax No.: 832-486-2688 or
832-486-2687

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters

Sincerely,

William Rainbolt

RECEIVED

DEC 02 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>All</u>		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 980 Plaza Office CITY Bartlesville STATE OK ZIP 74004		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (918) 661-4415		8. WELL NAME and NUMBER: See Attached List
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List		9. API NUMBER: See List
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Conoco Inc. was merged into Phillips Petroleum Company, the surviving corporation, on December 31, 2002. In connection with this merger and effective on the same date, the name of the surviving corporation was changed to "ConocoPhillips Company". We are requesting that a new Operator Number be assigned to ConocoPhillips Company.

Please send production reporting forms to Herb Henderson at ConocoPhillips Company, 315 S. Johnstone, 980 Plaza Office, Bartlesville, OK 74004. Herb's phone number is 918-661-4415.

Current Operator
Phillips Petroleum Company


Steve de Albuquerque

New Operator
ConocoPhillips Company


Yolanda Perez

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Yolanda Perez</u>	TITLE <u>Sr. Regulatory Analyst</u>
SIGNATURE <u>Yolanda Perez</u>	DATE <u>12/30/2002</u>

(This space for State use only)



SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:


1. As Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation.
2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.
3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.


Assistant Secretary
ConocoPhillips Company

STATE OF TEXAS §
 §
COUNTY OF HARRIS §


This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said Corporation.



RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING


Notary Public

The First State


I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING



0064324 8100

030002793

Harriet Smith Windsor

Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183360

DATE: 01-02-03

(THU) 12. 12' 02 13:32/ST. 13

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 01:41 PM 12/12/2002
020763238 - 0064324

CERTIFICATE OF AMENDMENT

to the

RESTATED CERTIFICATE OF INCORPORATION

of

**PHILLIPS PETROLEUM COMPANY
(to be renamed ConocoPhillips Company)**

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.

2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:

"Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."

4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

RECEIVED

JAN 08 2003


DIV. OF OIL, GAS & MINING

FROM RL&F#1

(THU) 12.12.02 13:32/ST. 13:31/NO. 4864756279 P 6

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this
12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

By: 
Name: Rick A. Harrington
Title: Senior Vice President, Legal,
and General Counsel

HOU03:884504.1

RECEIVED
JAN 08 2003
DIV. OF OIL, GAS & MINING

The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,


WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILLIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING



0064324 8100M

030002793

Harriet Smith Windsor
Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183370

DATE: 01-02-03

CERTIFICATE OF MERGER

of

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company
(a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

NAMESTATE OF INCORPORATION

PHILLIPS PETROLEUM COMPANY

Delaware

CONOCO INC.

Delaware

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079;

RECEIVED

JAN 08 2003


DIV. OF OIL, GAS & MINING

Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY
(a Delaware corporation)

By: 
Name: Rick A. Harrington
Title: Senior Vice President, Legal,
and General Counsel

STATE OF UTAH
DEPARTMENT OF COMMERCE
REGISTRATION

CONOCOPHILLIPS COMPANY

EFFECTIVE
06/14/1946

EXPIRATION
*RENEWAL

REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

Corporation - Foreign - Profit
562960-0143

UNITED STATES CORP CO
CONOCOPHILLIPS COMPANY
GATEWAY TOWER EAST STE 900
10 EAST SOUTH TEMPLE
SLC UT 84133

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF COMMERCE
DIVISION OF CORPORATIONS & COMMERCIAL CODE
REGISTRATION

EFFECTIVE DATE: 06/14/1946

EXPIRATION DATE: *RENEWAL

ISSUED TO: CONOCOPHILLIPS COMPANY



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

562960-0143 Corporation - Foreign - Profit

*RENEWAL

You will need to renew your registration each anniversary date of the effective date.

Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30887-00-00	ANDREEN 32-529	Gas Well	APD	32	14	S	10	E
43-007-30865-00-00	COTNER 29-549	Gas Well	APD	29	14	S	10	E
43-007-30837-00-00	DALLIN 32-615	Gas Well	APD	32	13	S	9	E
43-047-34551-00-00	FED 43-24-3 #1	Gas Well	APD	24	10	S	17	E
43-047-33982-00-00	FEDERAL 12-17 #1	Gas Well	APD	17	10	S	18	E
43-047-34471-00-00	FEDERAL 12-29-7 1	Gas Well	APD	29	9	S	19	E
43-047-34472-00-00	FEDERAL 31-31-6 1	Gas Well	APD	31	9	S	19	E
43-007-30864-00-00	MCKENDRICK 29-548	Gas Well	APD	29	14	S	10	E
43-015-30512-00-00	PPCO 19-379	Gas Well	APD	19	16	S	9	E
43-015-30515-00-00	PPCO 24-562	Gas Well	APD	24	16	S	8	E
43-015-30548-00-00	PPCO 30-605	Gas Well	APD	30	16	S	9	E
43-007-30888-00-00	PRICE 32-438	Gas Well	APD	32	14	S	10	E
43-007-30813-00-00	RITZAKIS 33-514	Gas Well	APD	33	13	S	9	E
43-007-30766-00-00	RITZAKIS 33-516	Gas Well	APD	33	13	S	9	E
43-007-30838-00-00	ROWLEY 32-616	Gas Well	APD	32	13	S	9	E
43-007-30863-00-00	SCHMIDT 29-531	Gas Well	APD	29	14	S	10	E
43-007-30797-00-00	SEELY 15-498	Gas Well	APD	15	14	S	8	E
43-007-30798-00-00	SEELY 15-499	Gas Well	APD	15	14	S	8	E
43-007-30799-00-00	SEELY 15-500	Gas Well	APD	15	14	S	8	E
43-007-30796-00-00	SEELY 22-492	Gas Well	APD	22	14	S	8	E
43-007-30801-00-00	SEELY 22-502	Gas Well	APD	22	14	S	8	E
43-007-30802-00-00	SEELY 22-503	Gas Well	APD	22	14	S	8	E
43-007-30711-00-00	USA 09-452	Gas Well	APD	9	15	S	8	E
43-015-30351-00-00	USA 11-313	Gas Well	APD	11	16	S	9	E
43-015-30398-00-00	USA 12-385	Gas Well	APD	12	16	S	9	E
43-015-30409-00-00	USA 12-426	Gas Well	APD	12	16	S	9	E
43-007-30805-00-00	USA 14-490	Gas Well	APD	14	14	S	8	E
43-007-30806-00-00	USA 14-491	Gas Well	APD	14	14	S	8	E
43-007-30676-00-00	USA 15-421	Gas Well	APD	15	15	S	8	E
43-015-30417-00-00	USA 21-427	Gas Well	APD	21	16	S	9	E
43-015-30416-00-00	USA 21-428	Gas Well	APD	21	16	S	9	E
43-015-30415-00-00	USA 21-429	Gas Well	APD	21	16	S	9	E
43-007-30515-00-00	USA 31-309	Gas Well	APD	31	15	S	10	E
43-007-30835-00-00	USA 33-515	Gas Well	APD	33	13	S	9	E
43-007-30836-00-00	USA 33-624	Gas Well	APD	33	13	S	9	E
43-007-30803-00-00	USA 34-518	Gas Well	APD	34	14	S	8	E
43-007-30478-00-00	UTAH 05-224	Gas Well	APD	5	15	S	9	E
43-015-30411-00-00	UTAH 16-365	Gas Well	APD	16	16	S	9	E
43-015-30412-00-00	UTAH 16-366	Gas Well	APD	16	16	S	9	E
43-015-30413-00-00	UTAH 16-430	Gas Well	APD	16	16	S	9	E
43-015-30299-00-00	UTAH 18-374	Gas Well	APD	18	16	S	9	E
43-015-30420-00-00	UTAH 19-377	Gas Well	APD	19	16	S	9	E
43-015-30492-00-00	UTAH 19-378	Gas Well	APD	19	16	S	9	E
43-007-30891-00-00	UTAH 19-533	Gas Well	APD	19	14	S	10	E
43-015-30414-00-00	UTAH 20-381	Gas Well	APD	20	16	S	9	E
43-015-30421-00-00	UTAH 20-382	Gas Well	APD	20	16	S	9	E
43-015-30518-00-00	UTAH 25-576	Gas Well	APD	25	16	S	8	E
43-015-30539-00-00	UTAH 25-578	Gas Well	APD	25	16	S	8	E
43-015-30540-00-00	UTAH 25-579	Gas Well	APD	25	16	S	8	E
43-007-30817-00-00	UTAH 25-618	Gas Well	APD	25	13	S	9	E
43-015-30543-00-00	UTAH 26-582	Gas Well	APD	26	16	S	8	E
43-015-30547-00-00	UTAH 29-608	Gas Well	APD	29	16	S	9	E
43-007-30889-00-00	UTAH 32-128	Gas Well	APD	32	14	S	10	E
43-007-30814-00-00	UTAH 35-506	Gas Well	APD	35	13	S	9	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-047-33750-00-00	FEDERAL 34-29	Gas Well	P	29	9	S	19	E
43-007-30782-00-00	GAROFOLA 26-482	Gas Well	P	26	15	S	8	E
43-007-30335-00-00	GIACOLETTO 11-113	Gas Well	P	11	14	S	9	E
43-007-30407-00-00	GIACOLETTO 13-120	Gas Well	P	13	14	S	9	E
43-007-30345-00-00	GIACOLETTO 14-121	Gas Well	P	14	14	S	9	E
43-007-30487-00-00	HELPER & ASSOC 07-307	Gas Well	P	7	15	S	9	E
43-007-30459-00-00	HELPER & ASSOC 18-236	Gas Well	P	18	15	S	9	E
43-007-30720-00-00	HELPER & ASSOC 18-308	Gas Well	P	18	15	S	9	E
43-007-30412-00-00	HELPER & ASSOC 8-232	Gas Well	P	8	15	S	9	E
43-007-30258-00-00	HELPER & ASSOCIATES 7-84	Gas Well	P	7	15	S	9	E
43-007-30588-00-00	JENSEN 16-132	Gas Well	P	16	15	S	10	E
43-007-30420-00-00	KAKATSIDES 31-197	Gas Well	P	31	14	S	9	E
43-007-30296-00-00	LDS 17-133	Gas Well	P	17	15	S	10	E
43-007-30323-00-00	PAAR 16-146	Gas Well	P	16	14	S	9	E
43-047-34286-00-00	PETES WASH 23-12 #1	Gas Well	P	12	10	S	17	E
43-007-30748-00-00	PIERUCCI 25-461	Gas Well	P	25	15	S	8	E
43-007-30749-00-00	PIERUCCI 25-462	Gas Well	P	25	15	S	8	E
43-007-30754-00-00	PIERUCCI 26-463	Gas Well	P	26	15	S	8	E
43-007-30755-00-00	PIERUCCI 26-464	Gas Well	P	26	15	S	8	E
43-007-30745-00-00	PIERUCCI 26-481	Gas Well	P	26	15	S	8	E
43-007-30117-00-00	PINNACLE PEAK 19-171	Gas Well	P	19	14	S	9	E
43-007-30845-00-00	PMC 10-526	Gas Well	P	10	15	S	8	E
43-007-30282-00-00	POWELL 19-104	Gas Well	P	19	15	S	10	E
43-007-30283-00-00	POWELL 19-105	Gas Well	P	19	15	S	10	E
43-007-30346-00-00	POWELL 30-173	Gas Well	P	30	15	S	10	E
43-015-30279-00-00	PPCO 10-557	Gas Well	P	10	16	S	8	E
43-015-30494-00-00	PPCO 15-555	Gas Well	P	15	16	S	8	E
43-007-30211-00-00	PRETTYMAN 10-15-34	Gas Well	P	10	14	S	9	E
43-007-30340-00-00	PRETTYMAN 11-114	Gas Well	P	11	14	S	9	E
43-007-30653-00-00	RGC 21-331	Gas Well	P	21	15	S	9	E
43-007-30743-00-00	RGC 21-332	Gas Well	P	21	15	S	9	E
43-007-30747-00-00	RGC 25-460	Gas Well	P	25	15	S	8	E
43-007-30559-00-00	RGC 28-318	Gas Well	P	28	15	S	9	E
43-007-30518-00-00	RGC 28-319	Gas Well	P	28	15	S	9	E
43-007-30509-00-00	RITZAKIS 03-408	Gas Well	P	3	14	S	9	E
43-007-30473-00-00	RITZAKIS 5-304	Gas Well	P	5	14	S	9	E
43-007-30474-00-00	RITZAKIS 5-305	Gas Well	P	5	14	S	9	E
43-007-30475-00-00	RITZAKIS 8-298	Gas Well	P	8	14	S	9	E
43-007-30479-00-00	RITZAKIS 8-299	Gas Well	P	8	14	S	9	E
43-007-30476-00-00	RITZAKIS 8-300	Gas Well	P	8	14	S	9	E
43-007-30374-00-00	ROBERTSON 32-127	Gas Well	P	32	14	S	10	E
43-007-30610-00-00	SAMPINOS 16-131	Gas Well	P	16	15	S	10	E
43-007-30723-00-00	SAMPINOS 16-454	Gas Well	P	16	15	S	10	E
43-007-30765-00-00	SAMPINOS 16-521	Gas Well	P	16	15	S	10	E
43-007-30800-00-00	SEELY 22-501	Gas Well	P	22	14	S	8	E
43-007-30130-00-00	ST OF UT 25-9-1	Gas Well	P	25	14	S	9	E
43-007-30142-00-00	ST OF UT 36-3-4	Gas Well	P	36	14	S	9	E
43-007-30116-00-00	STELLA-HAMAKER 10-174	Gas Well	P	10	15	S	8	E
43-007-30746-00-00	TABOR 23-468	Gas Well	P	23	15	S	8	E
43-007-30319-00-00	TELONIS 15-142	Gas Well	P	15	14	S	9	E
43-007-30322-00-00	TELONIS 16-145	Gas Well	P	16	14	S	9	E
43-007-30300-00-00	TELONIS 19-150	Gas Well	P	19	14	S	9	E
43-007-30299-00-00	TELONIS 19-151	Gas Well	P	19	14	S	9	E
43-007-30327-00-00	TELONIS 20-152	Gas Well	P	20	14	S	9	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30631-00-00	USA 13-419	Gas Well	P	13	15	S	8	E
43-007-30707-00-00	USA 13-447	Gas Well	P	13	14	S	8	E
43-007-30706-00-00	USA 13-470	Gas Well	P	13	14	S	8	E
43-007-30789-00-00	USA 13-474	Gas Well	P	13	14	S	8	E
43-007-30790-00-00	USA 13-475	Gas Well	P	13	14	S	8	E
43-007-30568-00-00	USA 13-91	Gas Well	P	13	14	S	9	E
43-007-30404-00-00	USA 14-122	Gas Well	P	14	14	S	9	E
43-015-30418-00-00	USA 1-425	Gas Well	P	1	16	S	9	E
43-007-30579-00-00	USA 14-325	Gas Well	P	14	15	S	8	E
43-007-30634-00-00	USA 14-386	Gas Well	P	14	15	S	8	E
43-007-30646-00-00	USA 14-416	Gas Well	P	14	15	S	8	E
43-007-30647-00-00	USA 14-417	Gas Well	P	14	15	S	8	E
43-007-30791-00-00	USA 14-476	Gas Well	P	14	14	S	8	E
43-007-30792-00-00	USA 14-477	Gas Well	P	14	14	S	8	E
43-007-30529-00-00	USA 14-74	Gas Well	P	14	14	S	9	E
43-007-30263-00-00	USA 14-75	Gas Well	P	14	14	S	9	E
43-007-30450-00-00	USA 15-176	Gas Well	P	15	14	S	9	E
43-007-30423-00-00	USA 15-177	Gas Well	P	15	14	S	9	E
43-007-30690-00-00	USA 15-420	Gas Well	P	15	15	S	8	E
43-007-30691-00-00	USA 15-422	Gas Well	P	15	15	S	8	E
43-007-30264-00-00	USA 15-88	Gas Well	P	15	14	S	9	E
43-007-30422-00-00	USA 17-179	Gas Well	P	17	14	S	9	E
43-007-30622-00-00	USA 17-180A	Gas Well	P	17	14	S	9	E
43-007-30618-00-00	USA 18-181	Gas Well	P	18	14	S	9	E
43-007-30417-00-00	USA 18-182	Gas Well	P	18	14	S	9	E
43-007-30619-00-00	USA 18-435	Gas Well	P	18	14	S	9	E
43-007-30393-00-00	USA 19-222	Gas Well	P	19	15	S	10	E
43-007-30392-00-00	USA 19-73	Gas Well	P	19	15	S	10	E
43-007-30448-00-00	USA 20-287	Gas Well	P	20	15	S	10	E
43-007-30451-00-00	USA 20-288	Gas Well	P	20	15	S	10	E
43-007-30590-00-00	USA 20-398	Gas Well	P	20	15	S	10	E
43-007-30591-00-00	USA 20-399	Gas Well	P	20	15	S	10	E
43-007-30424-00-00	USA 21-184	Gas Well	P	21	14	S	9	E
43-007-30425-00-00	USA 21-35	Gas Well	P	21	14	S	9	E
43-007-30426-00-00	USA 22-185	Gas Well	P	22	14	S	9	E
43-007-30477-00-00	USA 22-186	Gas Well	P	22	14	S	9	E
43-007-30700-00-00	USA 22-466	Gas Well	P	22	15	S	8	E
43-007-30611-00-00	USA 23-423	Gas Well	P	23	14	S	8	E
43-007-30650-00-00	USA 23-445	Gas Well	P	23	15	S	8	E
43-007-30704-00-00	USA 23-451	Gas Well	P	23	15	S	8	E
43-007-30503-00-00	USA 23-467	Gas Well	P	23	15	S	8	E
43-007-30793-00-00	USA 23-478	Gas Well	P	23	14	S	8	E
43-007-30794-00-00	USA 23-479	Gas Well	P	23	14	S	8	E
43-007-30795-00-00	USA 23-480	Gas Well	P	23	14	S	8	E
43-007-30469-00-00	USA 24-183	Gas Well	P	24	14	S	8	E
43-007-30612-00-00	USA 24-387	Gas Well	P	24	14	S	8	E
43-007-30613-00-00	USA 24-388	Gas Well	P	24	14	S	8	E
43-007-30651-00-00	USA 24-443	Gas Well	P	24	15	S	8	E
43-007-30648-00-00	USA 24-444	Gas Well	P	24	15	S	8	E
43-007-30708-00-00	USA 24-446	Gas Well	P	24	14	S	8	E
43-007-30652-00-00	USA 24-448	Gas Well	P	24	15	S	8	E
43-007-30705-00-00	USA 24-449	Gas Well	P	24	15	S	8	E
43-007-30505-00-00	USA 25-459	Gas Well	P	25	15	S	8	E
43-007-30614-00-00	USA 26-393	Gas Well	P	26	14	S	8	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30430-00-00	UTAH 06-223	Gas Well	P	6	15	S	9	E
43-007-30562-00-00	UTAH 06-330	Gas Well	P	6	15	S	9	E
43-007-30716-00-00	UTAH 06-483	Gas Well	P	6	15	S	9	E
43-007-30409-00-00	UTAH 07-234	Gas Well	P	7	15	S	9	E
43-007-30421-00-00	UTAH 07-235	Gas Well	P	7	15	S	9	E
43-007-30411-00-00	UTAH 08-231	Gas Well	P	8	15	S	9	E
43-007-30488-00-00	UTAH 08-233	Gas Well	P	8	15	S	9	E
43-015-30464-00-00	UTAH 08-354	Gas Well	P	8	16	S	9	E
43-015-30378-00-00	UTAH 08-355	Gas Well	P	8	16	S	9	E
43-015-30379-00-00	UTAH 08-356	Gas Well	P	8	16	S	9	E
43-015-30380-00-00	UTAH 08-357	Gas Well	P	8	16	S	9	E
43-007-30449-00-00	UTAH 09-227	Gas Well	P	9	15	S	9	E
43-007-30561-00-00	UTAH 09-329	Gas Well	P	9	15	S	9	E
43-015-30300-00-00	UTAH 09-358	Gas Well	P	9	16	S	9	E
43-015-30407-00-00	UTAH 09-359	Gas Well	P	9	16	S	9	E
43-015-30397-00-00	UTAH 09-360	Gas Well	P	9	16	S	9	E
43-015-30408-00-00	UTAH 09-361	Gas Well	P	9	16	S	9	E
43-007-30580-00-00	UTAH 09-412	Gas Well	P	9	15	S	10	E
43-007-30605-00-00	UTAH 09-413	Gas Well	P	9	15	S	10	E
43-007-30657-00-00	UTAH 09-450	Gas Well	P	9	15	S	10	E
43-007-30722-00-00	UTAH 09-453	Gas Well	P	9	15	S	10	E
43-007-30302-00-00	UTAH 10-01-36	Gas Well	P	10	15	S	9	E
43-007-30298-00-00	UTAH 10-219	Gas Well	P	10	15	S	9	E
43-007-30432-00-00	UTAH 10-220	Gas Well	P	10	15	S	9	E
43-007-30303-00-00	UTAH 10-221	Gas Well	P	10	15	S	9	E
43-007-30228-00-00	UTAH 11-50	Gas Well	P	11	15	S	9	E
43-007-30229-00-00	UTAH 11-51	Gas Well	P	11	15	S	9	E
43-007-30230-00-00	UTAH 11-52	Gas Well	P	11	15	S	9	E
43-007-30231-00-00	UTAH 11-53	Gas Well	P	11	15	S	9	E
43-007-30467-00-00	UTAH 1-209	Gas Well	P	1	15	S	8	E
43-007-30210-00-00	UTAH 12-15-37	Gas Well	P	12	15	S	9	E
43-007-30232-00-00	UTAH 12-54	Gas Well	P	12	15	S	9	E
43-007-30233-00-00	UTAH 12-55	Gas Well	P	12	15	S	9	E
43-007-30234-00-00	UTAH 12-56	Gas Well	P	12	15	S	9	E
43-015-30493-00-00	UTAH 13-376	Gas Well	P	13	16	S	8	E
43-015-30301-00-00	UTAH 13-550	Gas Well	P	13	16	S	8	E
43-007-30243-00-00	UTAH 13-65	Gas Well	P	13	15	S	9	E
43-007-30244-00-00	UTAH 13-66	Gas Well	P	13	15	S	9	E
43-007-30245-00-00	UTAH 13-67	Gas Well	P	13	15	S	9	E
43-007-30246-00-00	UTAH 13-68	Gas Well	P	13	15	S	9	E
43-007-30439-00-00	UTAH 13-92	Gas Well	P	13	14	S	9	E
43-007-30220-00-00	UTAH 1-42	Gas Well	P	1	15	S	9	E
43-007-30221-00-00	UTAH 1-43	Gas Well	P	1	15	S	9	E
43-007-30222-00-00	UTAH 1-44	Gas Well	P	1	15	S	9	E
43-007-30223-00-00	UTAH 1-45	Gas Well	P	1	15	S	9	E
43-015-30330-00-00	UTAH 14-551	Gas Well	P	14	16	S	8	E
43-015-30331-00-00	UTAH 14-552	Gas Well	P	14	16	S	8	E
43-007-30239-00-00	UTAH 14-61	Gas Well	P	14	15	S	9	E
43-007-30240-00-00	UTAH 14-62	Gas Well	P	14	15	S	9	E
43-007-30241-00-00	UTAH 14-63	Gas Well	P	14	15	S	9	E
43-007-30242-00-00	UTAH 14-64	Gas Well	P	14	15	S	9	E
43-015-30334-00-00	UTAH 15-553	Gas Well	P	15	16	S	8	E
43-007-30416-00-00	UTAH 17-101	Gas Well	P	17	15	S	10	E
43-007-30277-00-00	UTAH 17-102	Gas Well	P	17	15	S	10	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30255-00-00	UTAH 24-80	Gas Well	P	24	15	S	9	E
43-007-30256-00-00	UTAH 24-81	Gas Well	P	24	15	S	9	E
43-007-30267-00-00	UTAH 24-86	Gas Well	P	24	15	S	9	E
43-007-30375-00-00	UTAH 24-87	Gas Well	P	24	15	S	9	E
43-007-30227-00-00	UTAH 2-49	Gas Well	P	2	15	S	9	E
43-007-30157-00-00	UTAH 25-11-7	Gas Well	P	25	14	S	9	E
43-007-30399-00-00	UTAH 25-134	Gas Well	P	25	15	S	9	E
43-007-30400-00-00	UTAH 25-252	Gas Well	P	25	15	S	9	E
43-007-30401-00-00	UTAH 25-253	Gas Well	P	25	15	S	9	E
43-007-30402-00-00	UTAH 25-254	Gas Well	P	25	15	S	9	E
43-007-30600-00-00	UTAH 25-389	Gas Well	P	25	14	S	8	E
43-007-30599-00-00	UTAH 25-390	Gas Well	P	25	14	S	8	E
43-007-30658-00-00	UTAH 25-391	Gas Well	P	25	14	S	8	E
43-007-30602-00-00	UTAH 25-392	Gas Well	P	25	14	S	8	E
43-007-30206-00-00	UTAH 25-4-33	Gas Well	P	25	14	S	9	E
43-015-30519-00-00	UTAH 25-577	Gas Well	P	25	16	S	8	E
43-007-30156-00-00	UTAH 25-7-6	Gas Well	P	25	14	S	9	E
43-007-30204-00-00	UTAH 26-11-25	Gas Well	P	26	14	S	9	E
43-007-30205-00-00	UTAH 26-1-23	Gas Well	P	26	14	S	9	E
43-007-30181-00-00	UTAH 26-16-8	Gas Well	P	26	14	S	9	E
43-007-30446-00-00	UTAH 26-255	Gas Well	P	26	15	S	9	E
43-007-30445-00-00	UTAH 26-256	Gas Well	P	26	15	S	9	E
43-007-30444-00-00	UTAH 26-257	Gas Well	P	26	15	S	9	E
43-007-30514-00-00	UTAH 26-267	Gas Well	P	26	15	S	9	E
43-015-30541-00-00	UTAH 26-580	Gas Well	P	26	16	S	8	E
43-015-30542-00-00	UTAH 26-581	Gas Well	P	26	16	S	8	E
43-015-30544-00-00	UTAH 26-583	Gas Well	P	26	16	S	8	E
43-007-30202-00-00	UTAH 26-6-24	Gas Well	P	26	14	S	9	E
43-007-30395-00-00	UTAH 27-187	Gas Well	P	27	14	S	9	E
43-007-30292-00-00	UTAH 27-188	Gas Well	P	27	14	S	9	E
43-007-30457-00-00	UTAH 27-268	Gas Well	P	27	15	S	9	E
43-007-30458-00-00	UTAH 27-269	Gas Well	P	27	15	S	9	E
43-007-30712-00-00	UTAH 27-457	Gas Well	P	27	14	S	8	E
43-007-30714-00-00	UTAH 27-458	Gas Well	P	27	14	S	8	E
43-007-30777-00-00	UTAH 27-520	Gas Well	P	27	14	S	8	E
43-015-30545-00-00	UTAH 27-584	Gas Well	P	27	16	S	8	E
43-007-30193-00-00	UTAH 27-8-29	Gas Well	P	27	14	S	9	E
43-007-30186-00-00	UTAH 27-9-30	Gas Well	P	27	14	S	9	E
43-007-30396-00-00	UTAH 28-189	Gas Well	P	28	14	S	9	E
43-007-30397-00-00	UTAH 28-190	Gas Well	P	28	14	S	9	E
43-007-30293-00-00	UTAH 28-191	Gas Well	P	28	14	S	9	E
43-007-30294-00-00	UTAH 28-192	Gas Well	P	28	14	S	9	E
43-007-30551-00-00	UTAH 28-320	Gas Well	P	28	15	S	9	E
43-007-30560-00-00	UTAH 28-321	Gas Well	P	28	15	S	9	E
43-007-30405-00-00	UTAH 29-193	Gas Well	P	29	14	S	9	E
43-007-30427-00-00	UTAH 29-194	Gas Well	P	29	14	S	9	E
43-007-30739-00-00	UTAH 29-339	Gas Well	P	29	15	S	9	E
43-007-30740-00-00	UTAH 29-340	Gas Well	P	29	15	S	9	E
43-007-30741-00-00	UTAH 29-341	Gas Well	P	29	15	S	9	E
43-007-30742-00-00	UTAH 29-342	Gas Well	P	29	15	S	9	E
43-007-30262-00-00	UTAH 30-125	Gas Well	P	30	14	S	10	E
43-007-30185-00-00	UTAH 30-13-14	Gas Well	P	30	14	S	10	E
43-007-30265-00-00	UTAH 30-195	Gas Well	P	30	14	S	9	E
43-007-30344-00-00	UTAH 30-196	Gas Well	P	30	14	S	9	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30178-00-00	UTAH 36-1-2	Gas Well	P	36	14	S	9	E
43-007-30341-00-00	UTAH 36-135	Gas Well	P	36	15	S	9	E
43-007-30343-00-00	UTAH 36-136	Gas Well	P	36	15	S	9	E
43-007-30342-00-00	UTAH 36-137	Gas Well	P	36	15	S	9	E
43-007-30315-00-00	UTAH 36-162	Gas Well	P	36	14	S	8	E
43-007-30316-00-00	UTAH 36-163	Gas Well	P	36	14	S	8	E
43-007-30317-00-00	UTAH 36-164	Gas Well	P	36	14	S	8	E
43-007-30318-00-00	UTAH 36-165	Gas Well	P	36	14	S	8	E
43-007-30144-00-00	UTAH 36-9-5	Gas Well	P	36	14	S	9	E
43-015-30341-00-00	UTAH 4-280	Gas Well	P	4	16	S	9	E
43-015-30342-00-00	UTAH 4-282	Gas Well	P	4	16	S	9	E
43-007-30384-00-00	UTAH 5-205	Gas Well	P	5	15	S	9	E
43-007-30269-00-00	UTAH 5-94	Gas Well	P	5	15	S	10	E
43-007-30270-00-00	UTAH 5-95	Gas Well	P	5	15	S	10	E
43-007-30271-00-00	UTAH 5-96	Gas Well	P	5	15	S	10	E
43-007-30217-00-00	UTAH 6-38	Gas Well	P	6	15	S	10	E
43-007-30218-00-00	UTAH 6-39	Gas Well	P	6	15	S	10	E
43-007-30219-00-00	UTAH 6-40	Gas Well	P	6	15	S	10	E
43-007-30254-00-00	UTAH 6-41	Gas Well	P	6	15	S	10	E
43-007-30235-00-00	UTAH 7-57	Gas Well	P	7	15	S	10	E
43-007-30236-00-00	UTAH 7-58	Gas Well	P	7	15	S	10	E
43-007-30237-00-00	UTAH 7-59	Gas Well	P	7	15	S	10	E
43-007-30238-00-00	UTAH 7-60	Gas Well	P	7	15	S	10	E
43-007-30275-00-00	UTAH 8-100	Gas Well	P	8	15	S	10	E
43-007-30410-00-00	UTAH 8-230	Gas Well	P	8	15	S	9	E
43-007-30272-00-00	UTAH 8-97	Gas Well	P	8	15	S	10	E
43-007-30285-00-00	UTAH 8-98X	Gas Well	P	8	15	S	10	E
43-007-30274-00-00	UTAH 8-99	Gas Well	P	8	15	S	10	E
43-007-30413-00-00	UTAH 9-228	Gas Well	P	9	15	S	9	E
43-007-30414-00-00	UTAH 9-229	Gas Well	P	9	15	S	9	E
43-007-30279-00-00	WILLIAMS 30-78	Gas Well	P	30	14	S	10	E
43-007-30481-00-00	WOOLSTENHULME 05-266	Gas Well	P	5	15	S	10	E
43-015-30250-00-00	UTAH 16-110	Gas Well	Shut In	16	16	S	9	E



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Eastern States Office
7450 Boston Boulevard
Springfield, Virginia 22153

IN REPLY REFER TO
3106.8(932.34)WF

January 16, 2003

NOTICE

ConocoPhillips Company	:	Oil & Gas Leases
P.O. Box 7500	:	
Bartlesville, Oklahoma 74005	:	

Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to **ConocoPhillips Company** and the merger of **Conoco Incorporated** into **ConocoPhillips Company** on Federal oil and gas leases, with **ConocoPhillips Company** being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

bc: JFO, BLM State Offices, MMS, ES RF, 930 RF, ES-932;
Bforbes:wbf:01/16/03:440-1536/ConocoPhillips Co

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW ✓

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

X MergerThe operator of the well(s) listed below has changed, effective: **12-31-02****FROM: (Old Operator):**

PHILLIPS PETROLEUM COMPANY

Address: 980 PLAZA OFFICE

BARTLESVILLE, OK 74004

Phone: 1-(918)-661-4415

Account No. N1475

TO: (New Operator):

CONOCOPHILLIPS COMPANY

Address: P O BOX 2197, WL3 4066

HOUSTON, TX 77252

Phone: 1-(832)-486-2329

Account No. N2335

CA No.**Unit: DRUNKARDS WASH****WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
USA 15-177	15-14S-09E	43-007-30423	11256	FEDERAL	GW	P
USA 15-176	15-14S-09E	43-007-30450	11256	FEDERAL	GW	P
FAUSETT 16-143	16-14S-09E	43-007-30320	11256	FEE	GW	P
FAUSETT 16-144	16-14S-09E	43-007-30321	11256	FEE	GW	P
TELONIS 16-145	16-14S-09E	43-007-30322	11256	FEE	GW	P
PAAR 16-146	16-14S-09E	43-007-30323	11256	FEE	GW	P
CHRISTIANSEN 17-147	17-14S-09E	43-007-30324	11256	FEE	GW	P
CHRISTIANSEN 17-148	17-14S-09E	43-007-30325	11256	FEE	GW	P
USA 17-179	17-14S-09E	43-007-30422	11256	FEDERAL	GW	P
USA 17-180A	17-14S-09E	43-007-30622	11256	FEDERAL	GW	P
USA 18-181	18-14S-09E	43-007-30618	11256	FEDERAL	GW	P
USA 18-435	18-14S-09E	43-007-30619	11256	FEDERAL	GW	P
BIRKINSHAW 18-149	18-14S-09E	43-007-30326	11256	FEE	GW	P
USA 18-182	18-14S-09E	43-007-30417	11256	FEDERAL	GW	P
PINNACLE PEAK 19-171	19-14S-09E	43-007-30117	11256	FEE	GW	P
BIRKINSHAW 19-108	19-14S-09E	43-007-30284	11256	FEE	GW	P
TELONIS 19-151	19-14S-09E	43-007-30299	11256	FEE	GW	P
TELONIS 19-150	19-14S-09E	43-007-30300	11256	FEE	GW	P
TELONIS 20-172	20-14S-09E	43-007-30107	11256	FEE	GW	P
TELONIS 20-152	20-14S-09E	43-007-30327	11256	FEE	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 01/08/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/08/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 02/03/2003
- Is the new operator registered in the State of Utah: YES Business Number: 562960-0143
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/14/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 01/14/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/14/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 02/07/2003
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 02/07/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 8140-60-24

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8015-16-69

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 6196922
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ORIGINAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

Patented

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

UTU67921X Drunkards Wash

8. Well Name and Number:

Telonis 19-151

9. API Well Number:

43-007-30299

10. Field or Pool, or Wildcat:

Drunkards Wash

1. Type of Well: OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

ConocoPhillips Company

3. Address and Telephone Number:

6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777

4. Location of Well

Footages:

860' FSL, 2000' FWL

QQ, Sec., T., R., M.:

SE/SW, SEC. 19, T14S, R09E, SLB & M

County: Carbon County

State:

Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- | | |
|--|--|
| <input type="checkbox"/> Abandon | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recomplete |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |
- Approximate date work will start _____

SUBSEQUENT REPORT (Submit Original Form Only)

- | | |
|--|--|
| <input type="checkbox"/> Abandon * | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Repair Casing | <input type="checkbox"/> Pull or Alter Csg |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Reperforate |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other _____ Acid Treatment | |
- Date of work completion 05/05/2003

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 250 gallons of 4% Formic Acid & 4000 gallons of HCL on 05/05/2003.

RECEIVED

MAY 16 2003

DIV. OF OIL, GAS & MINING

13.

Name & Signature: Lynnette AllredTitle: Operations Clerk—ProductionDate: 05/12/2003

(This space for state use only)